



**BCPCL**

**Bangladesh-China Power Company (Pvt.) Limited**  
**A Joint Venture of CMC & NWPGCL**

**REQUEST FOR QUOTATION  
FOR**

**Supply of Personal Protection Equipment (PPE) for Employee of Payra  
1320MW TPP under BCPCL**

**BANGLADESH-CHINA POWER COMPANY (PVT.) LIMITED**  
**(A Joint Venture of CMC and NWPGCL)**  
**UTC Building (Level-05), 8 Panthapath,**  
**Kawran Bazar, Dhaka-1215, Bangladesh**

**Issued Ref.: BCPCL/Procurement/RFQ/2022-23/1207.01**

**Issued On: December 07, 2022**





## BANGLADESH-CHINA POWER COMPANY (PVT.) LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 4), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh  
Phone No. 9143908, 9140757, Web: [www.bcpcl.org.bd](http://www.bcpcl.org.bd), E-mail: [info@bcpcl.org.bd](mailto:info@bcpcl.org.bd)

### REQUEST FOR QUOTATION

for


### Supply of Personal Protection Equipment (PPE) for Employee of Payra 1320MW TPP under BCPCL

Issued Ref.: **BCPCL/Procurement/RFQ/2022-23/1207.01**

Issued On: **December 07, 2022**

To

1. Bangladesh-China Power Company (Pvt.) Limited has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications and, Design & Drawings for the intended goods and related services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation shall be prepared and submitted using the 'RFQ Document'.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
6. Quotation in a sealed envelope or by fax or through electronic mail on or before December 12, 2022 at 12:00 PM. The envelope containing the Quotation must be clearly marked "**Supply of Personal Protection Equipment (PPE) for Employee of Payra 1320MW TPP under BCPCL**" and "DO NOT OPEN before December 12, 2022 at 12:30 PM". Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.



9. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.
10. No public opening of Quotations received by the closing date shall be held.
11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
12. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related to valid Trade License, Tax Identification Number (TIN) and VAT Registration Number without which the Quotation may be considered non-responsive.
14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
16. The supply of Goods and related services shall be completed within **7 (seven) days** from the date of issuing the Purchase Order.
17. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within **2 days** of receipt of approval from the Approving Authority.
18. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.

**Rashed Morshed**

Superintending Engineer (Procurement)  
Bangladesh-China Power Company (Pvt.) Limited  
UTC Building (Level-05), 8 Panthapath, Kawran Bazar,  
Dhaka-1215, Bangladesh.  
e-mail: rashedmorshed@bcpcl.org.bd

**Distribution:**

1. Notice Board.
2. Office File.



## Quotation Submission Letter

Issued Ref.: **BCPCL/Procurement/Rfq/2022-23/1207.01**

Issued On: **December 07, 2022**

**Superintending Engineer (Procurement)**  
**Bangladesh-China Power Company (Pvt.) Limited**  
UTC Building (Level-05), 8 Panthapath, Kawran Bazar,  
Dhaka-1215, Bangladesh.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named **Supply of Personal Protection Equipment (PPE) for Employee of Payra 1320MW TPP under BCPCL**.

**The total Price of my/our Quotation is BDT**

**In Words:**

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 17(b) of the Terms & Conditions and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on **December 07, 2022**.

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.



Signature of Quotationer with Seal  
Date:

## Price Schedule for Goods and Related Services

Sl. No.	Description of Item	Unit	Quantity	Unit Price excluding VAT (BDT)	Total Price excluding VAT (BDT)
01	02	03	04	05	06= 05x04
01	<b>Safety Helmet:</b> -Color: White -Standard: EN 397 or GB Standard -safety against minimum 5kg load dropping from 1m height -PVC insulated -free size EN & GB Standard	Pcs	5		
02	<b>Anti-cut Cotton Gloves:</b> Material: Cotton Cotton lining, nitrile coating, Cut resistant Gloves Applications: - General construction, Recycling, Agriculture, Handling glass & metal sheet, Gardening, Household EN 420-2003 standard	Pairs	200		
03	<b>Work Hand Gloves:</b> Material: Cotton or rubber Cotton or rubber lining, nitrile coating, Cut resistant Gloves Applications: - General construction, Recycling, Agriculture, Handling glass & metal sheet, Gardening, Household	Pairs	100		
04	<b>Corrosion Resistant Rubber Gloves:</b> High resistance to water-based chemicals A tough general purpose industrial glove Comfortable and sensitive natural rubber latex glove yet withstands rough treatment Beaded cuff for tear resistance and easy pull-on Longer gauntlet-style cuff for extra protection Ideal for use where heavy duty chemical protection is essential Made of Natural Rubber latex Feature: Waterproof, chemical resistance and durable Type: Unlined & anti-skip Application: Widely used in light/heavy industries, agriculture, construction, engineering, road repairing, etc. EN (0075/797/162/08/13/0760 EXT04/04/15) standard	Pairs	10		
05	<b>Goggles:</b> FDA registered. anti-fog design, high-definition vision.	Pc	250		



Sl. No.	Description of Item	Unit	Quantity	Unit Price excluding VAT (BDT)	Total Price excluding VAT (BDT)
01	02	03	04	05	06= 05x04
	Four Ventilation Holes and Anti-Fog Coating Lens with Crystal Clear vision to prevent fog and mist. Comfortable to fit over eyeglass and crystal clear. Made of crystal-clear soft PVC with a comfortable adjustable strap, Long-wearing comfort. Soft rubber nose bridge good fit with nose pads and avoid strangling the skin. ANSI Z87.1 CE (EN 166) standard				
06	<b>Ear Plug:</b> Bullet profile design, smooth surface by anti-pollution treatment, wearing health, safety, soft and comfortable, good sound insulation Package Included: 1 pair Ear Plugs Anti-Noise, 1 pc small case. EN 352 or CE Certified	Pair	150		
07	<b>Safety Jacket:</b> High visibility Reflective strips: reflective strips on both front and back for maximum visibility in various weather and light conditions Quick easy zipper: Stick closure design for easy on and off Lightweight and comfortable 100% polyester fabric Great for outdoor utility, construction, metro, railway, toll work Material: 100% Polyester mesh fabric 1 Piece Reflective Safety Vest	Pc	50		
08	<b>Goggles Over Glass/Over Specs:</b> FDA registered. anti-fog design, high-definition vision. Four Ventilation Holes and Anti-Fog Coating Lens with Crystal Clear vision to prevent fog and mist. Comfortable to fit over eyeglass and crystal clear. Made of crystal-clear soft PVC with a comfortable adjustable strap, Long-wearing comfort. Soft rubber nose bridge good fit with nose pads and avoid strangling the skin. ANSI Z87.1 CE (EN 166) standard	Pcs	20		
09	<b>Electrical Hand Gloves:</b> Minimum 33 KV Electrical Insulated Rubber Seamless Hand Gloves		30		



Sl. No.	Description of Item	Unit	Quantity	Unit Price excluding VAT (BDT)	Total Price excluding VAT (BDT)
01	02	03	04	05	06= 05x04
	EN 60903-2003 or CEI 903-2002 or ISO 9001/2000 standard				
10	<b>Head Lamp:</b> Material: Aluminum Endurance: 5-8H Power:15W/25W Lighting Distance:500m/800m Light Modes : 4 (Strong ; Low ; Flashing ; Sensing) Power capacity : 4000mAh/6000mAh Charging: USB Charging Luminance : 1000LM/1200LM Waterproof: Life Grade Waterproof Super Bright: With super bright wick P50, four levels of light adjustment, strong light, low light, flash and waving induction mode, telescopic zoom and adjustable angle makes you see more clearly. Power Display & Warning Light: Power display allows you to understand the power usage at a glance, the second version of the headlamp also comes with a red and blue flashing effect, allowing you to turn on the safety warning light. Big Battery & Phone Charging: Equipped with 2/3 high-performance 18650 batteries respectively, the USB charging design also allows you to charge conveniently, and even provides emergency charging for your phone. Life Grade Waterproof: Not only free your hands, but waterproof, you can use it anywhere, even in the rain, without worrying, effectively waterproof and light transmission.	Pc	25		
11	<b>Caution Tape:</b> High strength, non-toxic, non-flammable, UV resistant ink, lead free, remains flexible in cold weather, unrolls quickly, can be tied or tacked to posts, trees etc., tear or cut to length Essential safety tool for contractors, utility, maintenance, asphalt/concrete, public safety jobs Width: Approx. 5cm/ 1.97" Material: Polyethylene	M	500		
12	<b>Reflecting Cone:</b> 50CM 70CM Portable Safety Cone Flexible, Collapsible, Multi-Purpose Pop Up Safety Cone	Pc	10		



Sl. No.	Description of Item	Unit	Quantity	Unit Price excluding VAT (BDT)	Total Price excluding VAT (BDT)
01	02	03	04	05	06= 05x04
	70cm Plastic Road Cone Reflecting Road Cone Hanging Ring Traffic Cone 50cm Safety Barrier Warning Column Conical Tube Transportation Facilities				
13	<b>Safety Belt:</b> Full body safety belt has one dorsal D-Ring with extended loop, easy to attach the webbing loop in the back to rescue a person, adjustable thigh straps, shoulder strap size medium / large, compliance confirms	Pc	12		
14	<b>Gum Boot:</b> Black Upper / Yellow Sole Size Range: 40, 41, 42, 43, 44 Slip Resistant Sole Tunnel System Oil/Acid Resistant Sole Wide comfortable fitting Broad "Natural" toe design Wide soft leg for comfort Cushioned Hi-poly comfort insole Kick-off lug Comfort moisture-absorbing fabric lining Oil acid-resistant industrial sole design Outdoor tread designed for rough terrain and uneven surfaces Multi-directional slip resistance Thicker PVC shank for strength & support Self-cleaning tread Superior liquid dispersion	Pair	50		
15	<b>Portable Fire Extinguisher (for Vehicle Use):</b> Supplied filled and ready for use Filled weight 1kg Operating temperature -30 to 60°C Minimum 10 years warranty for cylinder & powder refill is available Minimum 1 year's dry powder warranty 3x fire fighting capacity Cylinder diameter 140 mm (Overall width 290 mm) (approx.) Commercial-grade metal valve. Discharge time 30 seconds Rechargeable compliance unit	Pcs	15		
16	<b>N95 Face Mask</b> Brand: 3M Material: non-woven fabrics Protection class: N95/KN95/FFP2 Model: 3M 8210	Pcs	10		



Sl. No.	Description of Item	Unit	Quantity	Unit Price excluding VAT (BDT)	Total Price excluding VAT (BDT)
01	02	03	04	05	06= 05x04
17	<b>Earmuff:</b> Recommended for TWA noise exposures up to 98 dBA. Stainless steel headband distributes weight for low pressure fit. Earcup pivot points tilt for comfort that adjusts to individual wearers. Noise Reduction Rating (NRR) 25 decibels. Earcups with liquid and foam filled cushions offer comfort for long wear and optimum seal. Earcup pivot points tilt for optimum comfort and efficiency. Ultra-light with liquid/foam filled earmuff cushions. Color-coding for compliance sighting. Noise Reduction Rating (NRR) 25 dB CSA Class A. The NRR may overestimate the hearing protection provided during typical use.	Set	30		
18	<b>Cowhide Gloves:</b> Model: Welder's gloves, short gloves Type: Non-disposable Application scope: heavy lift, maintenance, electric welders, miners, steel workers, truck drivers, general protection workers, gardening size: About 25-26 cm Material: Cowhide color: yellow (preferable)	Pairs	20		
<b>Total price excluding VAT (BDT)</b>					
<b>VAT @ 7.5% (BDT)</b>					
<b>Total price including all Taxes &amp; VAT (BDT)</b>					

Total Price Including VAT & IT (in words)	
Goods to be supplied to	Payra 1320MW TPPP site, Dhankhali Union, Kalapara, Patuakhali.
Delivery Offered	Within 7 (seven) days from the date of issuing purchase order.
Contact Information	For any query, please contact on 01708458224

[Insert number] number corrections made by me/us have been duly initialed in this BoQ.



Signature of the Quotationer with Seal	Date:
Name of the Quotationer	

**Note:**

1. Col. 1, 2, 3 & 4 to be filled in by the Procuring Entity and Col. 5 & 6 by the Quotationer.
2. Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, insurance etc. Whatsoever



**Purchase Order  
FOR  
Supply of Personal Protection Equipment (PPE) for Employee of Payra  
1320MW TPP under BCPCL**

Purchase Order No.: BCPCL/Procurement/Purchase Order/2021-22/...

Date: ...

Name & Address

<b>Purchase Order Value:</b> ...including VAT & IT. <b>Taka in words:</b> ... including VAT & IT. <b>Completion date of delivery:</b> ..... <b>Delivery terms:</b> (a) The items shall be supplied as per the instructions and supervision of BCPCL within the above completion date. Failure to supply the items within the completion date, BCPCL shall have the authority to cancel the Purchase Order. (b) VAT/Taxes, as applicable, shall be deducted at source as per law; (c) Payment shall be made after satisfactory completion of supply and certification of Concerned Authority. (d) Goods shall be delivered as per approved specification. (e) Goods shall be delivered at Payra 1320MW TPP Site, Dhankhali Union, Kalapara, Patuakhali.
--

Hence, you are requested to supply the below mentioned goods on the terms and conditions as stipulated in the Purchase Order.

Sl. No.	Description of Item	Unit	Quantity	Unit Price excluding VAT (BDT)	Total Price excluding VAT (BDT)
01	02	03	04	05	06= 05x04
01	<b>Safety Helmet:</b> -Color: White -Standard: EN 397 or GB Standard -safety against minimum 5kg load dropping from 1m height -PVC insulated -free size EN & GB Standard	Pcs	5		
02	<b>Anti-cut Cotton Gloves:</b> Material: Cotton Cotton lining, nitrile coating, Cut resistant Gloves Applications: - General construction, Recycling, Agriculture, Handling glass & metal sheet, Gardening, Household EN 420-2003 standard	Pairs	200		
03	<b>Work Hand Gloves:</b> Material: Cotton or rubber Cotton or rubber lining, nitrile coating, Cut resistant Gloves Applications: - General construction, Recycling, Agriculture, Handling glass & metal sheet, Gardening, Household	Pairs	100		



Sl. No.	Description of Item	Unit	Quantity	Unit Price excluding VAT (BDT)	Total Price excluding VAT (BDT)
01	02	03	04	05	06= 05x04
04	<b>Corrosion Resistant Rubber Gloves:</b> High resistance to water-based chemicals A tough general purpose industrial glove Comfortable and sensitive natural rubber latex glove yet withstands rough treatment Beaded cuff for tear resistance and easy pull-on Longer gauntlet-style cuff for extra protection Ideal for use where heavy duty chemical protection is essential Made of Natural Rubber latex Feature: Waterproof, chemical resistance and durable Type: Unlined & anti-skip Application: Widely used in light/heavy industries, agriculture, construction, engineering, road repairing, etc. EN (0075/797/162/08/13/0760 EXT04/04/15) standard	Pairs	10		
05	<b>Goggles:</b> FDA registered. anti-fog design, high-definition vision. Four Ventilation Holes and Anti-Fog Coating Lens with Crystal Clear vision to prevent fog and mist. Comfortable to fit over eyeglass and crystal clear. Made of crystal-clear soft PVC with a comfortable adjustable strap. Long-wearing comfort. Soft rubber nose bridge good fit with nose pads and avoid strangling the skin. ANSI Z87.1 CE (EN 166) standard	Pc	250		
06	<b>Ear Plug:</b> Bullet profile design, smooth surface by anti-pollution treatment, wearing health, safety, soft and comfortable, good sound insulation Package Included: 1 pair Ear Plugs Anti-Noise, 1 pc small case. EN 352 or CE Certified	Pair	150		
07	<b>Safety Jacket:</b> High visibility Reflective strips: reflective strips on both front and back for maximum visibility in various weather and light conditions Quick easy zipper: Stick closure design for easy on and off Lightweight and comfortable 100% polyester fabric Great for outdoor utility, construction, metro, railway, toll work Material: 100% Polyester mesh fabric 1 Piece Reflective Safety Vest	Pc	50		
08	<b>Goggles Over Glass/Over Specs:</b> FDA registered. anti-fog design, high-definition vision. Four Ventilation Holes and Anti-Fog Coating Lens with Crystal Clear vision to prevent fog and mist. Comfortable to fit over eyeglass and crystal clear. Made of crystal-clear soft PVC with a comfortable adjustable strap. Long-wearing comfort.	Pcs	20		



Sl. No.	Description of Item	Unit	Quantity	Unit Price excluding VAT (BDT)	Total Price excluding VAT (BDT)
01	02	03	04	05	06= 05x04
	Soft rubber nose bridge good fit with nose pads and avoid strangling the skin. ANSI Z87.1 CE (EN 166) standard				
09	<b>Electrical Hand Gloves:</b> Minimum 33 KV Electrical Insulated Rubber Seamless Hand Gloves EN 60903-2003 or CEI 903-2002 or ISO 9001/2000 standard	Pair	30		
10	<b>Head Lamp:</b> Material: Aluminum Endurance: 5-8H Power: 15W/25W Lighting Distance: 500m/800m Light Modes : 4 (Strong ; Low ; Flashing ; Sensing) Power capacity : 4000mAh/6000mAh Charging: USB Charging Luminance : 1000LM/1200LM Waterproof: Life Grade Waterproof Super Bright: With super bright wick P50, four levels of light adjustment, strong light, low light, flash and waving induction mode, telescopic zoom and adjustable angle makes you see more clearly. Power Display & Warning Light: Power display allows you to understand the power usage at a glance, the second version of the headlamp also comes with a red and blue flashing effect, allowing you to turn on the safety warning light. Big Battery & Phone Charging: Equipped with 2/3 high-performance 18650 batteries respectively, the USB charging design also allows you to charge conveniently, and even provides emergency charging for your phone. Life Grade Waterproof: Not only free your hands, but waterproof, you can use it anywhere, even in the rain, without worrying, effectively waterproof and light transmission.	Pc	25		
11	<b>Caution Tape:</b> High strength, non-toxic, non-flammable, UV resistant ink, lead free, remains flexible in cold weather, unrolls quickly, can be tied or tacked to posts, trees etc., tear or cut to length Essential safety tool for contractors, utility, maintenance, asphalt/concrete, public safety jobs Width: Approx. 5cm/ 1.97" Material: Polyethylene	M	500		
12	<b>Reflecting Cone:</b> 50CM 70CM Portable Safety Cone Flexible, Collapsible, Multi-Purpose Pop Up Safety Cone 70cm Plastic Road Cone Reflecting Road Cone Hanging Ring Traffic Cone 50cm Safety Barrier Warning Column Conical Tube Transportation Facilities	Pc	10		
13	<b>Safety Belt:</b>	Pc	12		



Sl. No.	Description of Item	Unit	Quantity	Unit Price excluding VAT (BDT)	Total Price excluding VAT (BDT)
01	02	03	04	05	06= 05x04
	Full body safety belt has one dorsal D-Ring with extended loop, easy to attach the webbing loop in the back to rescue a person, adjustable thigh straps, shoulder strap size medium / large, compliance confirms				
14	<b>Gum Boot:</b> Black Upper / Yellow Sole Size Range: 40, 41, 42, 43, 44 Slip Resistant Sole Tunnel System Oil/Acid Resistant Sole Wide comfortable fitting Broad "Natural" toe design Wide soft leg for comfort Cushioned Hi-poly comfort insole Kick-off lug Comfort moisture-absorbing fabric lining Oil acid-resistant industrial sole design Outdoor tread designed for rough terrain and uneven surfaces Multi-directional slip resistance Thicker PVC shank for strength & support Self-cleaning tread Superior liquid dispersion	Pair	50		
15	<b>Portable Fire Extinguisher (for Vehicle Use):</b> Supplied filled and ready for use Filled weight 1kg Operating temperature -30 to 60°C Minimum 10 years warranty for cylinder & powder refill is available Minimum 1 year's dry powder warranty 3x fire fighting capacity Cylinder diameter 140 mm (Overall width 290 mm) (approx.) Commercial-grade metal valve. Discharge time 30 seconds Rechargeable compliance unit	Pcs	15		
16	<b>N95 Face Mask</b> Brand: 3M Material: non-woven fabrics Protection class: N95/KN95/FFP2 Model: 3M 8210	Pcs	10		
17	<b>Earmuff:</b> Recommended for TWA noise exposures up to 98 dBA. Stainless steel headband distributes weight for low pressure fit. Earcup pivot points tilt for comfort that adjusts to individual wearers. Noise Reduction Rating (NRR) 25 decibels. Earcups with liquid and foam filled cushions offer comfort for long wear and optimum seal. Earcup pivot points tilt for optimum comfort and efficiency. Ultra-light with liquid/foam filled earmuff cushions. Color-coding for compliance sighting. Noise Reduction Rating (NRR) 25 dB CSA Class A.	Set	30		



Sl. No.	Description of Item	Unit	Quantity	Unit Price excluding VAT (BDT)	Total Price excluding VAT (BDT)
01	02	03	04	05	06= 05x04
	The NRR may overestimate the hearing protection provided during typical use.				
18	<b>Cowhide Gloves:</b> Model: Welder's gloves, short gloves Type: Non-disposable Application scope: heavy lift, maintenance, electric welders, miners, steel workers, truck drivers, general protection workers, gardening size: About 25-26 cm Material: Cowhide color: yellow (preferable)	Pairs	20		
Total price excluding VAT (BDT)					
VAT @ 7.5% (BDT)					
Total price including all Taxes & VAT (BDT)					

Thanking you,  
By the approval of authority,

**Rashed Morshed**  
Superintending Engineer (Procurement)  
Bangladesh-China Power Company (Pvt) Limited



**Terms and Conditions**  
**for**  
**Supply of Personal Protection Equipment (PPE) for Employee of Payra**  
**1320MW TPP under BCPCL**

1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
3. The Supplier shall have to complete the delivery in all respects within **7 (seven) days** of issuing the Purchase Order in conformity with the Terms and Conditions.
4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Challan.
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The total Contract Price is **Amount in Number and Words** including VAT & IT.
12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
13. The minimum warranty period for the items shall be 6 (six) months from the acceptance of the goods by the Goods Receiving Committee.
14. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.
15. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
16. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.



17. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
18. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
  - a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.
  - b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
  - c. fails to perform any other obligation(s) under the Contract.
19. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
20. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.



