

REQUEST FOR QUOTATION FOR

Procurement of tools and Consumables for I&C Department for Payra 1320MW Thermal Power Plant (Package-2).

BANGLADESH-CHINA POWER COMPANY LIMITED (A Joint Venture of CMC and NWPGCL)
UTC Building (Level-05), 8 Panthapath,
Kawran Bazar, Dhaka-1215, Bangladesh

Issued Ref.: BCPCL/Procurement/RFQ/2024-25/0218.04

Issued On: February 18, 2025

Submission Deadline: February 27, 2025 on or before 12:00PM.





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGCL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail:info@bcpcl.org.bd

REQUEST FOR QUOTATION

for

Procurement of tools and Consumables for I&C Department for Payra 1320MW Thermal Power Plant (Package-2)

Issued Ref.: BCPCL/Procurement/RFQ/2024-25/0218.04

Issued On: February 18, 2025

To

- BANGLADESH-CHINA POWER COMPANY LIMITED has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
- 2. Detailed Specifications for the intended goods and related services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
- 3. Quotation shall be prepared and submitted using the 'RFQ Document'.
- 4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
- No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) shall not be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
- 6. Quotation in a sealed envelope or by fax or through electronic mail on or before February 27, 2025, 12:00PM. The envelope containing the Quotation must be clearly marked "Procurement of tools and Consumables for I&C Department for Payra 1320MW Thermal Power Plant (Package-2)" and "DO NOT OPEN before February 27, 2025, 12:30 PM". Quotations received later than the time specified herein shall not be accepted.
- 7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
- 8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.
- 9. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.
- 10. No public opening of Quotations received by the closing date shall be held.

- 11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
- 12. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
- 13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related to updated valid Trade License, Tax Identification Number (TIN), VAT Registration Number and Bank Solvency Certificate without which the Quotation may be considered non-responsive.
- 14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
- 15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
- 16. The supply of Goods and related services shall be completed within 30 days from the date of issuing the Purchase Order.
- 17. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within 7 days of receipt of approval from the Approving Authority.
- 18. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.

Rashed Morshed

Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited

Distribution:

- 1. Notice Board.
- 2. Office File.



Quotation Submission Letter

Issued Ref.: BCPCL/Procurement/RFQ/2024-25/0218.04

Issued On: February 18, 2025.

Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited
UTC Building (Level-05), 8 Panthapath, Kawran Bazar,
Dhaka-1215, Bangladesh.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named Procurement of tools and Consumables for I&C Department for Payra 1320MW Thermal Power Plant (Package-2).

The total Price of my/our Quotation is BDT

In Words:

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 23 (b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on February 18, 2025.

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.

Signature of Quotationer with Seal Date:



SL	Item	Specification	Unit	Qty	Unit Price Inc. TAX & VAT	Total Price Inc. TAX & VAT
1	Air Supply Pipe	φ12×8 mm Material- Plastic (PU) O.D.×I.D φ12×8 mm	М	200		
2	Air Supply Pipe	φ14×10 mm Material- Plastic (PU) O.D.×I.D φ14×10 mm	М	200		
3	Air Supply Pipe	φ8×5 mm Material- Plastic (PU) O.D.×I.D φ8×5 mm	М	200		
4	Air Supply Pipe	φ10×6.5 mm Material- Plastic (PU) O.D.×I.D φ10×6.5 mm	М	200		
5	Allen Key	12-piece set in Metric unit Tekton or Equivalent Manufacturer: Tekton or Equivalent	Set	10		
6	Digital Display Vernier Caliper	Size: 0-150mm Material: Stainless Steel Manufacturer: Mitutoyo or equivalent	Pes	2		
7	Needle Nose Pliers	Length:150mm Material: Stainless steel Manufacturer: Craftmans or equivalent	Pcs	10		
8	Needle Nose Pliers	Length:175mm Material: Stainless steel Manufacturer: Craftmans or equivalent	Pcs	10		
9	Plain Washer	O.D×I.D×Thickness - 18×6×2 Material : Red Paper	Pcs	200		
10	Spring Washer	O.D.×I.D.×Thickness - 8×6×4.5 Material: Stainless steel	Pcs	200		
11	Electronic Cleaner	Model Number: 530 Capacity - 550 ml/can Falcon 530 or Equivalent	Bottle	20		
12	Hexwrench	Size: 1/16-3/8 inch Material: Alloy Steel 12 Pices Set Color: Silver	Set	5		
13	Diagonal Nose Pliers	Length:150mm Material: Stainless steel Brand: Craftsman or Equivalent	Set	10		
14	Adjustable Wrench	6" Material: Forged alloy steel Corrosion resistant	Pcs	10		
15	Adjustable Wrench	8" Material: Forged alloy steel Corrosion resistant	Pcs	10		
16	Adjustable Wrench	10" Material: Forged alloy steel Corrosion resistant	Pes	10		
17	Rechargeable Angle Grinder	Model: Dongcheng DCSM04-100 Battery: 20VMAX/4.0Ah×1/4.0Ah×2/5.0Ah×2/So lo Rated Speed: 4000/6500/9000r/min Max. Wheel Dia.: Φ100mm Hole Dia.of Wheel: Φ16mm	Set	1		



SL	Item	Specification	Unit	Qty	Unit Price Inc. TAX & VAT	Total Price Inc. TAX & VAT
18	Digital Temperature and Humidity Meter	Both dry and wet	Pcs	10		
19	Stainless Steel Hose Clamp	Size: 1/4 - 2 inch Material: Stainless Steel	Pcs	100		
20	Screw	Thickness: 1mm Length: 138 mm Material: Stainless Steel	Pes	100		
21	Vaseline		kg	5		
22	Drill Bit	Diameter: φ4mm Material: HSS Corrosion resistant	Pes	10		
23	Drill Bit	φ5mm Diameter: φ5mm Material: HSS Corrosion resistant	Pcs	10		
24	Drill Bit	φ6mm Diameter: φ6mm Material: HSS Corrosion resistant	Pes	10		
25	Drill Bit	φ8mm Diameter: φ8mm Material: HSS Corrosion resistant	Pes	10		
26	Drill Bit	φ10mm Diameter: φ10mm Material: HSS Corrosion resistant	Pes	10		
27	Ethernet RJ-45	UTP 6 Ethernet cable RJ45	Pcs	500		
28	Connector		Pcs	10		
29	Mousetrap Gun Grade Polyurethane Expanding Foam Filler	Model: Soudafoam window & door gap filler (Gun Grade) Size: 750mL	Bottle	20		
30	CF Flash Memory Card	CompactFlash 2G Industrial grade	Pcs	10		
31	CF Flash Card Reader	Compatible with CF flash memory card	Pcs	10		
32	Nylon Cable Tie	W×L - 5×150 mm	Set	50		
33	Nylon Cable Tie	W×L - 5×200mm	Set	50		
34	Nylon Cable Tie	W×L - 5×250mm	Set	50		
35	Nylon Cable Tie	W×L - 5×300mm	Set	50		
36	Small Phillips Screwdriver	3mm×75mm Non-slip Grip Magnetic Fin Material – Carbon Steel	Pcs	10		
37	Small Flat-head Screwdriver	3mm× Spin Non-slip Gro Magnetit By Material – Carbon Spek	Pcs	10		

SL	Item	Specification	Unit	Qty	Unit Price Inc. TAX & VAT	Total Price Inc. TAX & VAT
38	Stainless Steel Bolt	Material: Stainless steel (SS316) Thread× Length - M3×20mm	Pes	100		
39	Stainless Steel Bolt	Material: Stainless steel (SS316) Thread× Length - M4×20	Pcs	100		
40	Stainless Steel Bolt	Material: Stainless steel (SS316) Thread× Length - M4×40	Pcs	100		
41	Stainless Steel Bolt	Material: Stainless steel (SS316) Thread× Length - M5×30	Pcs	100		
42	Stainless Steel Bolt	Material: Stainless steel (SS316) Thread× Length - M5×50	Pcs	100		
43	Pliers	Size: 7" Model: SATA71102 Material: Alloy steel	Pcs	1		
44	Pliers	Size: 7" Model: SATA 71202 Material: Alloy steel	Pcs	1		
45	Double-sided Tape (Both- sided Tape)	1 inch	Set	50		
46	Ant Poison	5g/bag	Set	100		
47	Sealed Bag	Size: A4 L×W – 12 inch × 9 inch Material: Polypropylene (PP)	Pcs	100		
48	Flat Washers	O.D. × I.D. × Thickness - 18× 6× 2 Material: Plastic / PTFE Temperature range73 to 240°C	Pcs	200		
49	Internal Hard Disk	2TB SSD Capacity: 2TB Form Factor: M.2 (2280) Connectivity Technology: NVMe Disk Interface: PCIE x 3 or PCIE x 4 Sequential Read Speed: Upto 7250MBps Sequential Write Speed: Upto 6300MBps Manufacturer: Sandisk or equivalent	Pcs	1		
50	Internal Hard Disk	4TB SSD Capacity: 4TB Form Factor: M.2 (2280) Connectivity Technology: NVMe Disk Interface: PCIE x 3 or PCIE x 4 Sequential Read Speed: Upto 7250MBps Sequential Write Speed: Upto 6300MBps Manufacturer: Sandisk or equivalent	Pcs	1		
51	Expansion Tube Pipe Wall Anchors Plug Expansion with Nails	Size: M6×30mm Material: Stainless Steel	Pcs	100		
52	Multimeter	Manufacturer: FLUKE Type: 17B IP40	Pcs	4		
53	Keyboard	Type: Mechanical Keyboard Connection Type: Wired Interface: USB Number of Button/ Keys: 104 Language: English Manufacturer: A4tech/Logitech	Pcs	10		

Power Plant							
SL	Item	Specification	Unit	Qty	Unit Price Inc. TAX & VAT	Total Price Inc. TAX & VA	
54	Mouse	Connection Type: Wired Interface: USB Resolution: 1000-25000 DPI Feature: Low Power Consumption Manufacturer: A4tech/Logitech	Pes	10			
55	Straight- through Quick Plug	Φ8 Material- SS316 Diameter- φ8 mm	Pcs	50			
56	Straight- through Quick Plug	Φ10 Material- SS316 Diameter- φ10 mm	Pcs	50			
57	Straight- through Quick Plug	Φ12 Material- SS316 Diameter- φ12 mm	Pes	50			
58	Straight- through Quick Plug	Φ14 Material- SS316 Diameter- φ14 mm	Pes	50			
59	Straight- through Quick Plug	Φ6 Material- SS316 Diameter- φ6 mm	Pcs	50			
60	Straight- through Quick- insert Converter	Φ6 to Φ8 Material- PE Shape- I Diameter- φ6 mm to φ8 mm One side φ6 mm and other side φ8 mm	Pcs	50			
61	Straight- through Quick- insert Converter	Φ8 to Φ10 Material- PE Shape- I Diameter- φ8 mm to φ10 mm One side φ8 mm and other side φ10 mm	Pcs	50			
62	Straight- through Quick- insert Converter	Φ10 to Φ12 Material- PE Shape- I Diameter- φ10 mm to φ12 mm One side φ10 mm and other side φ12 mm	Pcs	50			
63	Straight- through Quick- insert Converter	Φ12 to Φ14 Material- PE Shape- I Diameter- φ12 mm to φ14 mm One side φ12 mm and other side φ14 mm	Pcs	50			
64	Three-way Quick Connector	Φ8 Material- PE Shape- T Pneumatic pipe size- φ8 mm	Pcs	50			
65	Three-way Quick Connector	Φ10 Material- PE Shape- T Pneumatic pipe size- φ10 mm	Pcs	50			
66	Three-way Quick Connector	Φ12 Material- PE Shape- T Pneumatic pipe size- φ12 mm	Pcs	50			
67	Three-way Quick Connector	Φ14 Material-PE Shape-Te Pneumatic pipe size φ14 mm	Pcs	50			

SL	Item	Specification	Unit	Qty	Unit Price Inc. TAX & VAT	Total Price Inc. TAX & VAT
68	Three-way Quick Connector	Φ6 Material- PE Shape- T Pneumatic pipe size- φ6 mm	Pcs	50		
69	Black Metal Flexible Hose	Φ10 Size: 10mm Material: Metal, Anti-rust SS Type: Flexible Color: Black	М	100		
70	Black Metal Flexible Hose	Φ16 Size: 16mm Material: Metal, Anti-rust SS Type: Flexible Color: Black	М	100		
71	Black Metal Flexible Hose	Φ20 Size: 20mm Material: Metal, Anti-rust SS Type: Flexible Color: Black	М	100		
72	Black Metal Flexible Hose	Φ25 Size: 25mm Material: Metal, Anti-rust SS Type: Flexible Color: Black	М	100		
					Total	

Total Price Including VAT & IT (in words)	
Goods to be supplied to	Payra 1320MW TPP site, Dhankhali Union, Kalapara, Patuakhali.
Delivery Offered	30 (thirty) days from the date of issuing purchase order

[Insert number] number corrections made by me/us have been duly initialed in this BoQ.

Signature of the Quotationer with Seal	Date:
Name of the Quotationer	

Note:

 Col. 1, 2, 3, 4 & 5 to be filled in by the Procuring Entity and Col. 6 & 7 by the Quotationer.
 Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded, including transportation, insurance etc. Whatsoever



		Issued Ref: BCPCL/Procurement/RFQ/20			0.4
SL	Item	Specification	Unit	Qty	System
-	Air Supply	φ12×8 mm Material- Plastic (PU)	M	200	1&C
1	Pipe	O.D.×I.D φ 12×8 mm	11/1	200	1600
5770		φ14×10 mm			_
2	Air Supply	Material- Plastic (PU)	M	200	I&C
4	Pipe	O.D.×I.D φ14×10 mm	141	200	1000
	1074 PAR UV	φ8×5 mm			
3	Air Supply	Material- Plastic (PU)	M	200	I&C
	Pipe	O.D.×I.D φ8×5 mm			
	A in Committee	φ10×6.5 mm			
4	Air Supply	Material- Plastic (PU)	M	200	I&C
	Pipe	O.D.×I.D φ10×6.5 mm			
	-0.000	12-piece set in Metric unit	T\$2.00		
5	Allen Key	Tekton or Equivalent	Set	10	1&C
		Manufacturer: Tekton or Equivalent			10.000
	Digital	Size: 0-150mm			
6	Display	Material: Stainless Steel	Pcs	- 2	I&C
	Vernier	Manufacturer: Mitutoyo or equivalent	a seeme		
	Caliper	The section of the se			
7	Needle Nose	Length:150mm Material: Stainless steel	Pes	10	I&C
/	Pliers	Manufacturer: Craftmans or equivalent	res	10	180
		Length:175mm			
8	Needle Nose	Material: Stainless steel	Pcs	10	I&C
0	Pliers	Manufacturer: Craftmans or equivalent	103	10	, acc
65.1	Application of the second	O.D×I.D×Thickness - 18×6×2		8080-0	2701122
9	Plain Washer	Material: Red Paper	Pcs	200	I&C
22	Spring	O.D.×I.D.×Thickness - 8×6×4.5			
10	Washer	Material: Stainless steel	Pcs	200	I&C
	Electronic	Model Number: 530		- 40/15	
11	Cleaner	Capacity - 550 ml/can	Bottle	20	I&C
	Cleaner	Falcon 530 or Equivalent			
		Size: 1/16-3/8 inch			
12	Hexwrench	Material: Alloy Steel	Set	5	I&C
	Treatment	12 Pices Set	000		
		Color: Silver			
	Diagonal	Length:150mm			100
13	Nose Pliers	Material: Stainless steel	Set	10	I&C
		Brand: Craftsman or Equivalent			
14	Adjustable		Des	10	18.0
14	Wrench	Material: Forged alloy steel	Pcs	10	I&C
		Corrosion resistant			
15	Adjustable		Door	10	10.0
15	Wrench	Material: Forged alloy steel	Pes	10	I&C
11-11-11-11		Corrosion resistant			
16	Adjustable	10	Pcs	10	I&C
10	Wrench	Material: Forged alloy steel Corrosion resistant	1 63	10	lacc
		Corrosion resistant			
		Model: Dongcheng DCSM04-100			
	2000	Battery:			
17	Rechargeable	20VMAX/4.0Ah×1/4.0Ah×2/5.0Ah×2/Solo	Set	1	I&C
	Angle Grinder	Rated Speed: 4000/2000r/min			
	- 6 11	Max. Wheel Dia Q 100mm			

Technical Specification of
Package-2: Procurement of Tools and Consumable items of I&C for Payra 1320 MW Thermal Power Plant
Issued Ref: BCPCL/Procurement/RFQ/2024-25/0218.04

SL	Item	Specification	Unit	Qty	System
18	Digital Temperature and Humidity Meter	Both dry and wet	Pes	10	I&C
19	Stainless Steel Hose Clamp	Size: 1/4 - 2 inch Material: Stainless Steel	Pcs	100	I&C
20	Screw	Thickness: 1mm Length: 138 mm Material: Stainless Steel	Pes	100	I&C
21	Vaseline		kg	5	I&C
22	Drill Bit	Diameter: φ4mm Material: HSS Corrosion resistant	Pcs	10	I&C
23	Drill Bit	φ5mm Diameter: φ5mm Material: HSS Corrosion resistant	Pcs	10	I&C
24	Drill Bit	φ6mm Diameter: φ6mm Material: HSS Corrosion resistant	Pes	10	I&C
25	Drill Bit	φ8mm Diameter: φ8mm Material: HSS Corrosion resistant	Pcs	10	I&C
26	Drill Bit	φ10mm Diameter: φ10mm Material: HSS Corrosion resistant	Pcs	10	I&C
27	Ethernet RJ- 45 Connector	UTP 6 Ethernet cable RJ45	Pes	500	I&C
28	Mousetrap		Pcs	10	I&C
29	Gun Grade Polyurethane Expanding Foam Filler	Model: Soudafoam window & door gap filler (Gun Grade) Size: 750mL	Bottle	20	I&C
30	CF Flash Memory Card	CompactFlash 2G Industrial grade	Pcs	10	I&C
31	CF Flash Card Reader	Compatible with CF flash memory card	Pcs	10	I&C
32	Nylon Cable Tie	W×L - 5×150 mm	Set	50	I&C
33	Nylon Cable Tie	W×L - 5×200mm	Set	50	I&C
34	Nylon Cable Tie	W×L - 5×250mm	Set	50	I&C
35	Nylon Cable Tie	W×L - 5×300mm	Set	50	I&C
36	Small Phillips Screwdriver	3mm×75mm Non-slip Grip Magnetic Tip Material – Carbon Steel	Pes	10	I&C
37	Small Flat- head Screwdriver	3mm×75mm Non-slip Grip Magnetic Tip Material – Carbon Steel	Pes	10	I&C



SL		0 '	TT 24	04.	Constant
	Stainless Steel	Specification Material: Stainless steel (SS316)	Unit	Qty	System
38	Bolt	Thread× Length - M3×20mm	Pcs	100	I&C
	Stainless Steel	Material: Stainless steel (SS316)			100000000000000000000000000000000000000
39	Bolt	Thread× Length - M4×20	Pcs	100	I&C
	Stainless Steel	Material: Stainless steel (SS316)		200	1
40	Bolt	Thread× Length - M4×40	Pcs	100	I&C
222	Stainless Steel	Material: Stainless steel (SS316)		100	100
41	Bolt	Thread× Length - M5×30	Pcs	100	I&C
42	Stainless Steel	Material: Stainless steel (SS316)	Pcs	100	I&C
42	Bolt	Thread× Length - M5×50	res	100	1&C
		Size: 7"			H 157
43	Pliers	Model: SATA71102	Pcs	1	I&C
		Material: Alloy steel			
		Size: 7"		45	100
44	Pliers	Model: SATA 71202	Pcs	1	1&C
		Material: Alloy steel			
	Double-sided		C	50	10.0
45	Tape (Both-	1 inch	Set	50	I&C
17	sided Tape)	E - A	Cat	100	I&C
46	Ant Poison	5g/bag	Set	100	1&C
4.7	Cooled Dee	Size: A4 L×W – 12 inch × 9 inch	Pes	100	I&C
47	Sealed Bag	Material: Polypropylene (PP)	PCS	100	180
		O.D. × I.D. × Thickness - 18× 6× 2			
48	Flat Washers	Material: Plastic / PTFE	Pcs	200	I&C
40	riat washers	Temperature range73 to 240°C	103	200	lace
		2TB SSD			
		Capacity: 2TB			
	Internal Hard Disk	Form Factor: M.2 (2280)			
40		Connectivity Technology: NVMe	Des		I&C
49		Disk Interface: PCIE x 3 or PCIE x 4	PCS	Pcs 1	lac
		Sequential Read Speed: Upto 7250MBps			
		Sequential Write Speed: Upto 6300MBps			
		Manufacturer: Sandisk or equivalent			
		4TB SSD			
		Capacity: 4TB			
	1.4. 1.77. 1	Form Factor: M.2 (2280)			
50	Internal Hard	Connectivity Technology: NVMe Disk Interface: PCIE x 3 or PCIE x 4	Pcs	1	I&C
	Disk	Sequential Read Speed: Upto 7250MBps			
		Sequential Write Speed: Upto 6300MBps			
		Manufacturer: Sandisk or equivalent			
	Expansion	manufacturer, bandisk of equivarent			
	Tube Pipe				il Talana
	Wall Anchors	Size: M6×30mm		222	and the second s
51	Plug	Material: Stainless Steel	Pcs	100	I&C
	Expansion	이 (1998) (1997) (전기 (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997) (1997)			
	with Nails				
10004-01		Manufacturer: FLUKE			
52	Multimeter	Type: 17B	Pcs	4	I&C
		IP40			
		Type: Mechanical Keyboard	1 7 1 9 7		A STATE OF
		Connection Type: Wired			
53	Keyboard	Interfacea WSB	Pcs	10	I&C
7-7	jouru	Number of Button/ Keys: 104	1.00		1000
		Lanesvage: English			4

Technical Specification of
Package-2: Procurement of Tools and Consumable items of I&C for Payra 1320 MW Thermal Power Plant
Issued Ref: BCPCL/Procurement/RFO/2024-25/0218.04

SL	Item	Issued Ref: BCPCL/Procurement/RFQ/20 Specification	Unit	Qty	System
JL.	rtem	Connection Type: Wired	Unit	Qty	System
54	Mouse	Interface: USB			
		Resolution: 1000-25000 DPI	Pcs	10	I&C
		Feature: Low Power Consumption			
		Manufacturer: A4tech/Logitech			
¥.	Straight-	Φ8			
55	through Quick	Material- SS316	Pcs	50	I&C
	Plug	Diameter- φ8 mm			
	Straight-	Ф10			
56	through Quick	Material- SS316	Pcs	50	I&C
	Plug	Diameter- φ10 mm			
	Straight-	Ф12			
57	through Quick	Material- SS316	Pcs	50	I&C
*	Plug	Diameter- φ12 mm	1000		
	Straight-	Ф14			
58	through Quick	Material- SS316	Pcs	50	I&C
C8.78/	Plug	Diameter- φ14 mm		30	
	Straight-	Φ6			
59	through Quick	Material- SS316	Pes	50	I&C
3,	Plug	Diameter- ϕ 6 mm	1 03	30	1acC
	riug				
	Straight-	Φ6 to Φ8 Material- PE			
CO	through Quick-insert		Pcs	50	I&C
60		Shape- I			
	Converter	Diameter- φ6 mm to φ8 mm			
		One side ϕ 6 mm and other side ϕ 8 mm			
	Straight-	Φ8 to Φ10			
	through	Material- PE			
61	Quick-insert	Shape- I	Pcs	50	I&C
	Converter	Diameter- φ8 mm to φ10 mm			
		One side ϕ 8 mm and other side ϕ 10 mm			
	Straight-	Φ10 to Φ12			
	through	Material- PE			
62		Shape- I	Pcs	50	I&C
	Quick-insert	Diameter- φ10 mm to φ12 mm			
	Converter	One side $\phi 10$ mm and other side $\phi 12$ mm			
		Φ12 to Φ14			
	Straight-	Material- PE			
63	through	Shape- I	Pcs	50	I&C
00	Quick-insert	Diameter- ϕ 12 mm to ϕ 14 mm	1 03	30	
	Converter	One side φ 12 mm and other side φ 14 mm			
		Φ8			
	Three-way	Φ8 Material- PE			
64	Quick		Pcs	50	I&C
	Connector	Shape- T			
	30000000000000000000000000000000000000	Pneumatic pipe size- φ8 mm			
	Three-way	Ф10			
65	Quick	Material- PE	Pcs	50	I&C
-	Connector	Shape- T	1.00		
	Connector	Pneumatic pipe size- φ10 mm			
	Three way	Ф12			
66	Three-way	Material- PE	Dog	50	I&C
66	Quick	Shape- T	Pcs	50	1&C
	Connector	Pneumatic pipe size- ϕ 12 mm			
		Ф14			
	Three-way	Material- PE			
67	Quick	Shape- T	Pcs	50	I&C
	Connector				
		Pneumatic pipe size- φ14 mm			



Technical Specification of ackage-2: Procurement of Tools and Consumable items of I&C for Payra 1320 MW Thermal Power Pla Issued Ref: BCPCL/Procurement/RFQ/2024-25/0218.04								
SL	Item	Specification	Unit	Qty	System			
68	Three-way Quick Connector	Φ6 Material- PE Shape- T Pneumatic pipe size- φ6 mm	Pcs	50	I&C			
69	Black Metal Flexible Hose	Φ10 Size: 10mm Material: Metal, Anti-rust SS Type: Flexible Color: Black	М	100	I&C			
7 0	Black Metal Flexible Hose	Φ16 Size: 16mm Material: Metal, Anti-rust SS Type: Flexible Color: Black	М	100	I&C			
71	Black Metal Flexible Hose	Φ20 Size: 20mm Material: Metal, Anti-rust SS Type: Flexible Color: Black	М	100	I&C			
72	Black Metal Flexible Hose	Φ25 Size: 25mm Material: Metal, Anti-rust SS Type: Flexible Color: Black	М	100	I&C			



Purchase Order FOR

Procurement of Spare Parts and Consumables (Electric Actuator) for Jan-Feb 25 for Payra 1320MW Thermal Power Plant.

Purchase Order No.:

Date:

To:

Purchase Order Value: BDT

Taka in words:

Completion date of delivery:

Delivery terms:

- (a) The items shall be supplied as per the instructions and supervision of BCPCL within the above completion date. BCPCL reserves the right to cancel the Purchase Order in case the supplier fails to supply the items within the stipulated date.
- (b) VAT/Taxes, as applicable, shall be deducted at source as per law;
- (c) Payment shall be made after satisfactory completion of supply and certification of Concerned Authority.
- (d) Goods shall be delivered as per approved specification.

Hence, you are requested to supply the below mentioned goods on the terms and conditions as stipulated in the Purchase Order.

SI. No.	Item Description	Unit of Measurement	Qty	Unit Price in BDT (Including VAT & TAX)	Total Price in BDT (Including VAT & TAX)
		Total Amount (BDT)			

Thanking you,

By the approval of authority,

(Rashed Morshed)

Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited



Terms and Conditions for

Procurement of Spare Parts and Consumables (Electric Actuator) for Jan-Feb 25 for Payra 1320MW Thermal Power Plant.

- 1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
- 2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
- 3. The Supplier shall have to complete the delivery in all respects within 30 days of issuing the Purchase Order in conformity with the Terms and Conditions.
- 4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
- 5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
- 6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
- 7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
- 8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
- 9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Chalan.
- 10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
- 11. The total Contract Price is BDT [insert figure] [in words].
- 12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
- 13. The Supplier shall submit 5 (Five) Percent Performance Security of the Contact Price. 5% performance Security will be released after successful completion of warranty obligations.
- 14. The Supplier shall correct any defect covered by the Warranty period within 15 days of being notified by the Procuring Entity of the occurrences of any defect.
- 15. The minimum Warranty Period of the Supplies shall be **06 months** starting from the date of completion of delivery in the form of submission by the Supplier and acceptance by the Procuring Entity, of the Goods Receiving Certification.

16. The Warranty Period may be extended for as long as the Defects notified by the Procuring Entity remain to be corrected.

17. If the Supplier has not corrected a Defect string the three specified in the Procuring Entity's notice, the Procuring Entity shall assess the cost of having the Defects corrected by it, and the Supplier shall remain liable to pay the expenditures included on a court of correction of such Defects.

- 18. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.
- 19. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
- 20. Damage to the Goods during the Warranty Period shall be remedied by the Supplier at the Supplier's own cost, if the damage arises from the supply and installation by the Supplier.
- No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.
- 22. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
- 23. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
 - a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.
 - b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
 - c. fails to perform any other obligation(s) under the Contract.
- 24. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
- 25. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.
- 26. The Supplier shall provide certification from Manufacturer regarding authentic product.



