



BCPCL
Bangladesh-China Power Company Ltd.
A Joint Venture of CMC & NWPGL

REQUEST FOR QUOTATION
FOR

**Procurement of EMD Spares (additional requirement) for Unit 2 Class C
Maintenance of Payra 1320MW TPP (PR000233)**

BANGLADESH-CHINA POWER COMPANY LIMITED
(A Joint Venture of CMC and NWPGL)
UTC Building (Level-05), 8 Panthapath,
Kawran Bazar, Dhaka-1215, Bangladesh

Issued Ref.: BCPCL/Proc/RFQ/2025-26/0628.02

Issued On: June 28,2026

Submission Deadline: July 06,2026 on or before 12:00PM.





BCPCL

Bangladesh-China Power Company Ltd.
A Joint Venture of CMC & NWPGCL

REQUEST FOR QUOTATION

for

Procurement of EMD Spares (additional requirement) for Unit 2 Class C Maintenance of Payra 1320MW TPP (PR000233)

Issued Ref.: BCPCL/Proc/RFQ/2025-26/0628.02

Issued On: June 28, 2026

To

1. Bangladesh-China Power Company Limited has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications for the intended goods and related services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation shall be prepared and submitted using the 'RFQ Document'.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
6. Quotation in a sealed envelope or by fax or through electronic mail should be submitted on or before **July 06, 2026, 12:00 PM**. The envelope containing the Quotation must be clearly marked "**Procurement of EMD Spares (additional requirement) for Unit 2 Class C Maintenance of Payra 1320MW TPP (PR000233)**" and "**DO NOT OPEN before July 06, 2026, 12:30 PM**". Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.
9. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.
10. No public opening of Quotations received by the closing date shall be held.



11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
12. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related *to updated valid Trade License, Tax Identification Number (TIN) and VAT Registration Number* without which the Quotation may be considered non-responsive.
14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
16. **Quotationer shall specify the brand name of the items, where applicable and provide a clear description of the product being offered; otherwise, the tender will be considered technically non-responsive.**
17. **Quotationers are instructed to submit their price schedule and technical specifications in their company/proprietary letter head pad.**
18. The supply of Goods and related services shall be completed within **25 (twenty-five) days** from the date of issuing the Purchase Order.
19. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within **7 days** of receipt of approval from the Approving Authority.
20. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.

Rashed
28/06/2026

Rashed Morshed

Superintending Engineer (Procurement)

Bangladesh-China Power Company Limited

UTC Building (Level-05), 8 Panthapath, Kawran Bazar,

Dhaka-1215, Bangladesh.

e-mail: rashedmorshed@bcpcl.org.bd & fahim2252@bcpcl.org.bd

Distribution:

1. Notice Board.
2. Office File.



Quotation Submission Letter

Issued Ref.: BCPCL/Proc/RFQ/2025-26/0628.02

Issued On: June 28,2026

Superintending Engineer (Procurement)

Bangladesh-China Power Company Limited

UTC Building (Level-05), 8 Panthapath, Kawran Bazar,
Dhaka-1215, Bangladesh.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named **Procurement of EMD Spares (additional requirement) for Unit 2 Class C Maintenance of Payra 1320MW TPP (PR000233)**.

The total Price of my/our Quotation is BDT

In Words:

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 17 (b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on **June 28, 2026**.

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.

Signature of Quotationer with Seal
Date:



Price Schedule of Goods

(to be filled up in company letterhead)

Sl. No.	Item Description	Specification	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6	7
1	Electric Blower Rechargeable Battery Ratings: 20V, 2.0Ah, 37Wh Battery Type: Lithium Ion MAX+SHARE I	Electric Blower Rechargeable Battery Ratings: 20V, 2.0Ah, 37Wh Battery Type: Lithium Ion MAX+SHARE Internal Cells: 51NR19/66 Brand: INGCO INDUSTRIAL	PCS	2		
2	Electric Screw Driver Rechargeable Battery Model: GBA 18V 2.0Ah M-A Ratings: 18V, 2.0Ah, 36Wh	Electric Screw Driver Rechargeable Battery Model: GBA 18V 2.0Ah M-A Ratings: 18V, 2.0Ah, 36Wh Battery Type: Lithium Ion Internal Cells: 51NR19/66 Brand: BOSCH	PCS	2		
3	Flatbed cart, hand push folding arm, four-wheel cart Dimension: 90mm*60mm Silent rubber wheel	Flatbed Cart, Hand Push Folding Arm, Four-Wheel Cart Dimension: 90mm*60mm (10% Deviation in Higher Range is Allowable) Self-Locking System Load Capacity: 1200 pounds++	PCS	2		
4	High manganese steel industrial grade pry; Sizes: 16mm*500mm, 18mm*600mm, 18mm*800mm, 18mm*1000mm	High Manganese Steel Industrial Grade Pry Specifications: Type-1: 16mm*500mm Type-2: 18mm*600mm Type-3: 18mm*800mm Type-4: 18mm*1000mm Dimension: (Diameter*Length)	Set (3PCS/Item)	1		
5	Electrical equipment cleaner Model: ELECTROSOLV-E 25 LTR	Electrical Equipment Cleaner Model: ELECTROSOLV - E 25 LTR Bottle Capacity: 25L Physical Form: Liquid Brand: Unitor	LITRE	50		
6	Wooden Handle Sledgehammer; Handle Length: 1.2 meter, Weight: 10 Pounds, Brand: TOPTUL/Equivalent	Sledge Hammer Forged Carbon Steel Head TPR Soft Handle Model: YT-45540 or Equivalent Length: (800mm-1000mm) Weight: 10pound Brand: Yato	PCS	4		



Price Schedule of Goods

(to be filled up in company letterhead)

Sl. No.	Item Description	Specification	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6	7
7	Open-Ended Copper Lug Type: OT-10 mm ² , OT-20 mm ² , OT-30 mm ² , OT-40 mm ² , OT-50 mm ² , OT-60mm ² , OT-80	Open-Ended Copper Lug Type: OT-10 mm ² , OT-20 mm ² , OT-30 mm ² , OT-40 mm ² , OT-50 mm ² , OT-60mm ² and OT-80mm ² , Material: Pure Copper	Set (60 PC/ ITEM)	1		
8	Close-Ended Copper Lug Type: DT-10mm ² , DT-16mm ² , DT-25mm ² , DT-35mm ² , DT-50mm ² , DT-75mm ² , DT-95m	Close-Ended Copper Lug Type: DT-10mm ² , DT-16mm ² , DT-25mm ² , DT-35mm ² , DT-50mm ² , DT-75mm ² and DT-95mm ² Material: Pure Copper	Set (60 PC/ ITEM)	1		
9	Cold Pressed VE Tube Type Copper Lug Specifications: 1.5 mm ² , 2.5 mm ² , 4.0 mm ² , 6.0 mm ²	Cold Pressed VE Tube Type Copper Lug Specifications: 1.5 mm ² , 2.5 mm ² , 4.0 mm ² and 6.0 mm ² Material: Pure Copper	Set (100PC/ ITEM)	1		
10	DCC 4-Wire Jumper Wire Short Circuited Connector Type:4mm banana plug DCC Conductor: Pure Copper wire	DCC 4-Wire Jumper Wire Short Circuited Connector Type: 4mm banana plug DCC Conductor: Pure Copper with Proper Insulation (Insulated PVC Jacket) Wire Cross Section: 2.5 Sq mm Current Rating: >20A Length: 0.5m Color: Black	PCS	40		
11	DCC 4-Wire Jumper Wire Short Circuited Connector Type:4mm banana plug DCC Conductor:Pure Copper wire	DCC 4-Wire Jumper Wire Short Circuited Connector Type: 4mm banana plug DCC Conductor: Pure Copper with Proper Insulation (Insulated PVC Jacket) Wire Cross Section: 2.5 Sq mm Current Rating: >20A Length: 0.5m Color: Red	PCS	40		



Price Schedule of Goods

(to be filled up in company letterhead)

Sl. No.	Item Description	Specification	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6	7
12	DCC 4-Wire Jumper Wire Short Circuited Connector Type:4mm banana plug DCC Conductor: Pure Copper wire	DCC 4-Wire Jumper Wire Short Circuited Connector Type: 4mm banana plug DCC Conductor: Pure Copper with Proper Insulation (Insulated PVC Jacket) Wire Cross Section: 2.5 Sq mm Current Rating: >20A Length: 0.5m Color: Green	PCS	40		
13	DCC 4-Wire Jumper Wire Short Circuited Connector Type:4mm banana plug DCC Conductor: Pure Copper wire	DCC 4-Wire Jumper Wire Short Circuited Connector Type: 4mm banana plug DCC Conductor: Pure Copper with Proper Insulation (Insulated PVC Jacket) Wire Cross Section: 2.5 Sq mm Current Rating: >20A Length: 0.5m Color: Yellow	PCS	40		
14	Star Screwdriver 3.2*75mm Shank Length: 75mm Tip Width: 3.2 mm Brand: SATA VDE Insulated	Star Screwdriver 3.2*75mm Shank Length: 75mm Tip Width: 3.2 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	PCS	5		
15	Star Screwdriver 3.2*100mm Shank Length: 100mm Tip Width: 3.2 mm Brand: SATA VDE Insulated	Star Screwdriver 3.2*100mm Shank Length: 100mm Tip Width: 3.2 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	PCS	5		
16	Star Screwdriver 5*75mm Shank Length: 75mm Tip Width: 5 mm Brand: SATA VDE Insulated	Star Screwdriver 5*75mm Shank Length: 75mm Tip Width: 5 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	PCS	5		
17	Star Screwdriver 5*100mm Shank Length: 100mm Tip Width: 5 mm Brand: SATA VDE Insulated	Star Screwdriver 5*100mm Shank Length: 100mm Tip Width: 5 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	PCS	5		



Price Schedule of Goods

(to be filled up in company letterhead)

Sl. No.	Item Description	Specification	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6	7
18	Flat Screwdriver 3.2*75mm Shank Length: 75mm Tip Width: 3.2 mm Brand: SATA VDE Insulated	Flat Screwdriver 3.2*75mm Shank Length: 75mm Tip Width: 3.2 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	PCS	5		
19	Flat Screwdriver 3.2*100mm Shank Length: 100mm Tip Width: 3.2 mm Brand: SATA VDE Insulated	Flat Screwdriver 3.2*100 Shank Length: 100mm Tip Width: 3.2 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	PCS	5		
20	Flat Screwdriver 5*75mm Shank Length: 75mm Tip Width: 5 mm VDE Insulated Voltage: 1000V Brand: SATA	Flat Screwdriver 5*75mm Shank Length: 75mm Tip Width: 5 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	PCS	5		
21	Flat Screwdriver 5*100 mm Shank Length: 100mm Tip Width: 5 mm VDE Insulated Insulation Voltage: 1000	Flat Screwdriver 5*100mm Shank Length: 100mm Tip Width: 5 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	PCS	5		
22	Bearing Puller Capacity: 10 Ton Model: YT-10991 or Equivalent Brand: HARK CAPUT	Bearing Puller Capacity: 10 Ton Model: YT-10991 or Equivalent Brand: HARK CAPUT	SET	1		
23	Open End Combination Ratchet Wrench Sizes:6mm-32mm Material: Chrome Vanadium Steel Brand:Toptul/Yato	Open End Combination Ratchet Wrench Size Range: (6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 27mm, 30mm, and 32mm). Material: Chrome Vanadium Steel Brand: Toptul/Yato	SET	3		
24	Cotton jersey gloves Material: Cotton Desing: Plain	Cotton jersey gloves Material: Cotton Desing: Plain	PAIRS	200		



Price Schedule of Goods

(to be filled up in company letterhead)

Sl. No.	Item Description	Specification	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6	7
25	KVVP- 4×2.5 PVC Sheathed Braid Screened Control Cable Rated Voltage: 450/750V Conductor Material: Cu	KVVP- 4×2.5 PVC Sheathed Braid Screened Control Cable Rated Voltage: 450/750V Conductor Material: Copper Insulation Material: PVC	Meter (m)	150		
26	Round-shaped small light bulb (PHILIPS 28W 230V Halogen Classic) Rated Voltage: 230V Rated Power: 28	Round-shaped small light bulb (PHILIPS 28W 230V Halogen Classic) Rated Voltage: 230V Rated Power: 28W Temperature: 3800K Luminous flux: 370lm Brand: PHILIPS	PCS	15		
27	Ring Impact Wrench Size: 30mm Brand: Yato/Toptul	Ring Impact Wrench Size: 30mm Brand: Yato/Toptul	PCS	4		
28	Ring Impact Wrench Size: 41mm Brand: Yato/Toptul	Ring Impact Wrench Size: 41mm Brand: Yato/Toptul	PCS	4		
29	Ring Impact Wrench Size: 55mm Brand: Yato/Toptul	Ring Impact Wrench Size: 55mm Brand: Yato/Toptul	PCS	4		
30	Sledge Hammer Forged Carbon Steel Head TPR Soft Handle Model: YT-45539 or Equivalent	Sledge Hammer Forged Carbon Steel Head TPR Soft Handle Model: YT-45539 or Equivalent Length: (794mm-1000mm) Weight: 10pound Brand: Yato	PCS	4		
31	Contactors- LC1N1810-D3N	Model: LC1N1810-D3N Brand: Schneider Electric Type: AC Magnetic Contactor Series: EasyPact D3N / LC1N Coil Voltage: AC 220V, 50/60Hz, Rated Operational Current (AC-3): 18A Rated Operational Voltage: Up to 440V AC, Main Contacts: 3P (3 Normally Open), Auxiliary Contact: 1NO (Normally Open)	PCS	5		



Price Schedule of Goods

(to be filled up in company letterhead)

Sl. No.	Item Description	Specification	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6	7
32	Thermal Overload Relay-LRD350C	Model: LRD350C Brand: Schneider Electric Type: Thermal Overload Relay Series: TeSys D Rated Current Range: 37–50A Trip Class: Class 10A Rated Insulation Voltage: Up to 690V AC Poles: 3P Auxiliary Contacts: 1NO + 1NC	PCS	2		
33	Thermal overload relay	Model: LRD08C Brand: Schneider Electric Type: Thermal Overload Relay Series: TeSys D Rated Current Range: 2.5–4A	PCS	6		
34	Contacto- LC1D09M7C	Model: LC1D09M7C Brand: Schneider Electric Type: AC Magnetic Contactor Series: TeSys D Rated Operational Voltage (AC): 380–690V Rated Operational Current (AC-3): 9A Main Contacts: 3P (3 Normally Open) Auxiliary Contacts: 1NO + 1NC Coil Voltage: 220V AC, 50/60Hz Mounting Type: DIN Rail / Panel Mount Terminal Type: Screw Clamp	PCS	5		
35	Ring Impact Wrench ,Size: 80mm, Brand: Yato/Toptul	Ring Impact Wrench , Size: 80mm, Brand: Yato/Toptul	PCS	4		
36	Ring Impact Wrench Size: 60mm Brand: Yato/Toptul	Ring Impact Wrench Size: 60mm Brand: Yato/Toptul	PCS	4		
37	Ratchet Crimping Pliers (0.25–10) mm ² , Brand: Yato/Toptul or Equivalent	Ratchet Crimping Pliers (0.25–10) mm ² , Brand: Yato/Toptul or Equivalent	PCS	4		



Price Schedule of Goods

(to be filled up in company letterhead)

Sl. No.	Item Description	Specification	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6	7
38	Contactora Auxiliary Contact-LADN22C	Model: LADN22C Manufacturer: Schneider Electric	PCS	10		
39	Cabinet door lock MS618,125mm*34 mm,		PCS	10		
40	Cooling Fan (JF20060HBL2) Model No: JF20060HBL2 200*200*60 mm AC Axial Cooling Fan 220V 50Hz 0.25A	Model No: JF20060HBL2 200*200*60 mm AC Axial Cooling Fan 220V 50Hz 0.25A Suzhou Jiatai Electric Co., Ltd	PCS	10		
Total Price Including VAT & IT						

Total Price Including VAT & IT (in words)	
Goods to be supplied to	Payra 1320MW Thermal Power Plant Site, Dhankhali, Kalapara, Patuakhali.
Delivery Offered	25 (twenty-five) days from the date of issuing purchase order

[Insert number] number corrections made by me/us have been duly initialed in this BoQ.

Signature of the Quotationer with Seal	Date:
Name of the Quotationer	

Note:

1. Col. 1, 2, 3 & 4 to be filled in by the Procuring Entity and Col. 5 & 6 by the Quotationer.
2. Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, insurance etc. Whatsoever



Sl. No.	Technical Specifications Requirement from BCPCL		Offer From Bidder (Must Mention Brand and detailed specification)
1	2	3	4
1	Electric Blower Rechargeable Battery Ratings: 20V, 2.0Ah, 37Wh Battery Type: Lithium Ion MAX+SHARE I	Electric Blower Rechargeable Battery Ratings: 20V, 2.0Ah, 37Wh Battery Type: Lithium Ion MAX+SHARE Internal Cells: 51NR19/66 Brand: INGCO INDUSTRIAL	
2	Electric Screw Driver Rechargeable Battery Model: GBA 18V 2.0Ah M-A Ratings: 18V, 2.0Ah, 36Wh	Electric Screw Driver Rechargeable Battery Model: GBA 18V 2.0Ah M-A Ratings: 18V, 2.0Ah, 36Wh Battery Type: Lithium Ion Internal Cells: 51NR19/66 Brand: BOSCH	
3	Flatbed cart, hand push folding arm, four-wheel cart Dimension: 90mm*60mm Silent rubber wheel	Flatbed Cart, Hand Push Folding Arm, Four-Wheel Cart Dimension: 90mm*60mm (10% Deviation in Higher Range is Allowable) Self-Locking System Load Capacity: 1200 pounds++	
4	High manganese steel industrial grade pry; Sizes: 16mm*500mm, 18mm*600mm, 18mm*800mm, 18mm*1000mm	High Manganese Steel Industrial Grade Pry Specifications: Type-1: 16mm*500mm Type-2: 18mm*600mm Type-3: 18mm*800mm Type-4: 18mm*1000mm Dimension: (Diameter*Length)	
5	Electrical equipment cleaner Model: ELECTROSOLV-E 25 LTR	Electrical Equipment Cleaner Model: ELECTROSOLV - E 25 LTR Bottle Capacity: 25L Physical Form: Liquid Brand: Unitor	
6	Wooden Handle Sledgehammer; Handle Length: 1.2 meter, Weight: 10 Pounds, Brand: TOPTUL/Equivalent	Sledge Hammer Forged Carbon Steel Head TPR Soft Handle Model: YT-45540 or Equivalent Length: (800mm-1000mm) Weight: 10pound Brand: Yato	
7	Open-Ended Copper Lug Type: OT-10 mm ² , OT-20 mm ² , OT-30 mm ² , OT-40 mm ² , OT-50 mm ² , OT-60mm ² , OT-80	Open-Ended Copper Lug Type: OT-10 mm ² , OT-20 mm ² , OT-30 mm ² , OT-40 mm ² , OT-50 mm ² , OT-60mm ² and OT-80mm ² , Material: Pure Copper	
8	Close-Ended Copper Lug Type: DT-10mm ² , DT-16mm ² , DT-25mm ² , DT-	Close-Ended Copper Lug Type: DT-10mm ² , DT-16mm ² , DT-25mm ² , DT-35mm ² , DT-50mm ² , DT-75mm ² and DT-95mm ² Material: Pure Copper	



Sl. No.	Technical Specifications Requirement from BCPCL		Offer From Bidder (Must Mention Brand and detailed specification)
1	2	3	4
	35mm ² , DT-50mm ² , DT-75mm ² , DT-95m		
9	Cold Pressed VE Tube Type Copper Lug Specifications: 1.5 mm ² , 2.5 mm ² , 4.0 mm ² , 6.0 mm ²	Cold Pressed VE Tube Type Copper Lug Specifications: 1.5 mm ² , 2.5 mm ² , 4.0 mm ² and 6.0 mm ² Material: Pure Copper	
10	DCC 4-Wire Jumper Wire Short Circuited Connector Type:4mm banana plug DCC Conductor: Pure Copper wire	DCC 4-Wire Jumper Wire Short Circuited Connector Type: 4mm banana plug DCC Conductor: Pure Copper with Proper Insulation (Insulated PVC Jacket) Wire Cross Section: 2.5 Sq mm Current Rating: >20A Length: 0.5m Color: Black	
11	DCC 4-Wire Jumper Wire Short Circuited Connector Type:4mm banana plug DCC Conductor:Pure Copper wire	DCC 4-Wire Jumper Wire Short Circuited Connector Type: 4mm banana plug DCC Conductor: Pure Copper with Proper Insulation (Insulated PVC Jacket) Wire Cross Section: 2.5 Sq mm Current Rating: >20A Length: 0.5m Color: Red	
12	DCC 4-Wire Jumper Wire Short Circuited Connector Type:4mm banana plug DCC Conductor: Pure Copper wire	DCC 4-Wire Jumper Wire Short Circuited Connector Type: 4mm banana plug DCC Conductor: Pure Copper with Proper Insulation (Insulated PVC Jacket) Wire Cross Section: 2.5 Sq mm Current Rating: >20A Length: 0.5m Color: Green	
13	DCC 4-Wire Jumper Wire Short Circuited Connector Type:4mm banana plug DCC Conductor: Pure Copper wire	DCC 4-Wire Jumper Wire Short Circuited Connector Type: 4mm banana plug DCC Conductor: Pure Copper with Proper Insulation (Insulated PVC Jacket) Wire Cross Section: 2.5 Sq mm Current Rating: >20A Length: 0.5m Color: Yellow	
14	Star Screwdriver 3.2*75mm Shank	Star Screwdriver 3.2*75mm Shank Length: 75mm	



Sl. No.	Technical Specifications Requirement from BCPCL		Offer From Bidder (Must Mention Brand and detailed specification)
1	2	3	4
	Length: 75mm Tip Width: 3.2 mm Brand: SATA VDE Insulated	Tip Width: 3.2 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	
15	Star Screwdriver 3.2*100mm Shank Length: 100mm Tip Width: 3.2 mm Brand: SATA VDE Insulated	Star Screwdriver 3.2*100mm Shank Length: 100mm Tip Width: 3.2 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	
16	Star Screwdriver 5*75mm Shank Length: 75mm Tip Width: 5 mm Brand: SATA VDE Insulated	Star Screwdriver 5*75mm Shank Length: 75mm Tip Width: 5 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	
17	Star Screwdriver 5*100mm Shank Length: 100mm Tip Width: 5 mm Brand: SATA VDE Insulated	Star Screwdriver 5*100mm Shank Length: 100mm Tip Width: 5 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	
18	Flat Screwdriver 3.2*75mm Shank Length: 75mm Tip Width: 3.2 mm Brand: SATA VDE Insulated	Flat Screwdriver 3.2*75mm Shank Length: 75mm Tip Width: 3.2 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	
19	Flat Screwdriver 3.2*100mm Shank Length: 100mm Tip Width: 3.2 mm Brand: SATA VDE Insulated	Flat Screwdriver 3.2*100 Shank Length: 100mm Tip Width: 3.2 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	
20	Flat Screwdriver 5*75mm Shank Length: 75mm Tip Width: 5 mm VDE Insulated Voltage: 1000V Brand: SATA	Flat Screwdriver 5*75mm Shank Length: 75mm Tip Width: 5 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	
21	Flat Screwdriver 5*100 mm Shank Length: 100mm Tip Width: 5 mm VDE Insulated Insulation Voltage: 1000	Flat Screwdriver 5*100mm Shank Length: 100mm Tip Width: 5 mm Brand: SATA VDE Insulated Insulation Voltage: 1000V	
22	Bearing Puller Capacity: 10 Ton Model: YT-10991 or	Bearing Puller Capacity: 10 Ton Model: YT-10991 or Equ Brand: HARK CAPUT	



Sl. No.	Technical Specifications Requirement from BCPCL		Offer From Bidder (Must Mention Brand and detailed specification)
1	2	3	4
	Equivalent Brand: HARK CAPUT		
23	Open End Combination Ratchet Wrench Sizes:6mm- 32mm Material: Chrome Vanadium Steel Brand:Toptul/Yato	Open End Combination Ratchet Wrench Size Range: (6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 27mm, 30mm, and 32mm). Material: Chrome Vanadium Steel Brand:Toptul/Yato	
24	Cotton jersey gloves Material: Cotton Desing: Plain	Cotton jersey gloves Material: Cotton Desing: Plain	
25	KVVP- 4×2.5 PVC Sheathed Braid Screened Control Cable Rated Voltage: 450/750V Conductor Material: Cu	KVVP- 4×2.5 PVC Sheathed Braid Screened Control Cable Rated Voltage: 450/750V Conductor Material: Copper Insulation Material: PVC	
26	Round-shaped small light bulb (PHILIPS 28W 230V Halogen Classic) Rated Voltage: 230V Rated Power: 28	Round-shaped small light bulb (PHILIPS 28W 230V Halogen Classic) Rated Voltage: 230V Rated Power: 28W Temperature: 3800K Luminous flux: 370lm Brand: PHILIPS	
27	Ring Impact Wrench Size: 30mm Brand: Yato/Toptul	Ring Impact Wrench Size: 30mm Brand: Yato/Toptul	
28	Ring Impact Wrench Size: 41mm Brand: Yato/Toptul	Ring Impact Wrench Size: 41mm Brand: Yato/Toptul	
29	Ring Impact Wrench Size: 55mm Brand: Yato/Toptul	Ring Impact Wrench Size: 55mm Brand: Yato/Toptul	
30	Sledge Hammer Forged Carbon Steel Head TPR Soft Handle Model: YT- 45539 or Equivalent	Sledge Hammer Forged Carbon Steel Head TPR Soft Handle Model: YT-45539 or Equivalent Length: (794mm-1000mm) Weight: 10pound Brand: Yato	
31	Contactor- LC1N1810-D3N	Model: LC1N1810-D3N Brand: Schneider Electric Type: AC Magnetic Contactor Series: EasyPact D3N / LC1N Coil	



Sl. No.	Technical Specifications Requirement from BCPCL		Offer From Bidder (Must Mention Brand and detailed specification)
1	2	3	4
		Voltage: AC 220V, 50/60Hz, Rated Operational Current (AC-3): 18A Rated Operational Voltage: Up to 440V AC, Main Contacts: 3P (3 Normally Open), Auxiliary Contact: 1NO (Normally Open)	
32	Thermal Overload Relay-LRD350C	Model: LRD350C Brand: Schneider Electric Type: Thermal Overload Relay Series: TeSys D Rated Current Range: 37–50A Trip Class: Class 10A Rated Insulation Voltage: Up to 690V AC Poles: 3P Auxiliary Contacts: 1NO + 1NC	
33	Thermal overload relay	Model: LRD08C Brand: Schneider Electric Type: Thermal Overload Relay Series: TeSys D Rated Current Range: 2.5–4A	
34	Contacto- LC1D09M7C	Model: LC1D09M7C Brand: Schneider Electric Type: AC Magnetic Contactor Series: TeSys D Rated Operational Voltage (AC): 380–690V Rated Operational Current (AC-3): 9A Main Contacts: 3P (3 Normally Open) Auxiliary Contacts: 1NO + 1NC Coil Voltage: 220V AC, 50/60Hz Mounting Type: DIN Rail / Panel Mount Terminal Type: Screw Clamp	
35	Ring Impact Wrench ,Size: 80mm, Brand: Yato/Toptul	Ring Impact Wrench , Size: 80mm, Brand: Yato/Toptul	
36	Ring Impact Wrench Size: 60mm Brand: Yato/Toptul	Ring Impact Wrench Size: 60mm Brand: Yato/Toptul	
37	Ratchet Crimping Pliers (0.25–10) mm ² , Brand: Yato/Toptul or Equivalent	Ratchet Crimping Pliers (0.25–10) mm ² , Brand: Yato/Toptul or Equivalent	



Sl. No.	Technical Specifications Requirement from BCPCL		Offer From Bidder (Must Mention Brand and detailed specification)
1	2	3	4
38	Contactora Auxiliary Contact-I.ADN22C	Model: LADN22C Manufacturer: Schneider Electric	
39	Cabinet door lock MS618,125mm*34mm,		
40	Cooling Fan (JF20060HBL2) Model No: JF20060HBL2 200*200*60 mm AC Axial Cooling Fan 220V 50Hz 0.25A	Model No: JF20060HBL2 200*200*60 mm AC Axial Cooling Fan 220V 50Hz 0.25A Suzhou Jiatai Electric Co., Ltd	



**Purchase Order
FOR**

**Procurement of EMD Spares (additional requirement) for Unit 2 Class C
Maintenance of Payra 1320MW TPP (PR000233)**

Purchase Order No. :

Date:

To:

Purchase Order Value: BDT

Taka in words:

Completion date of delivery:

Delivery terms:

- (a) The items shall be supplied as per the instructions and supervision of BCPCL within the above completion date. BCPCL reserves the right to cancel the Purchase Order in case the supplier fails to supply the items within the stipulated date.
- (b) VAT/Taxes, as applicable, shall be deducted at source as per law;
- (c) Payment shall be made after satisfactory completion of supply and certification of Concerned Authority.
- (d) Goods shall be delivered as per approved specification.

Hence, you are requested to supply the below mentioned goods on the terms and conditions as stipulated in the Purchase Order.

Sl. No.	Item Description	Unit of Measurement	Qty	Unit Price in BDT (Including VAT & TAX)	Total Price in BDT (Including VAT & TAX)
Total Amount (BDT)					

Thanking you,

By the approval of authority,

(Rashed Morshed)

Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited
Level#5, UTC Building, 8 Panthapath, Kawran Bazar
Dhaka-1215, Bangladesh



**Terms and Conditions
for
Procurement of EMD Spares (additional requirement) for Unit 2 Class C
Maintenance of Payra 1320MW TPP (PR000233)**

Issued Ref.: BCPCL/Proc/RFQ/2025-26/0628.02

Issued On: June 28,2026

1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
3. The Supplier shall have to complete the delivery in all respects within **25 days** of issuing the Purchase Order in conformity with the Terms and Conditions.
4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Chalan.
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The total Contract Price is BDT **[insert figure] [in words]**.
12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
13. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.
14. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
15. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.



16. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
17. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
 - a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.
 - b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
 - c. fails to perform any other obligation(s) under the Contract.
18. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
19. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.

