

REQUEST FOR QUOTATION FOR

Extension of the heavy vehicle parking shed and Ground Improvement for IDCT Maintenance at Payra 1320 MW TPP

BANGLADESH-CHINA POWER COMPANY LIMITED (A Joint Venture of CMC and NWPGCL)

Issued Ref.: BCPCL/CIVIL/RFQ/2025-26/0411.03

Issued On: 11.11.2025

Submission Deadline-November 18, 2025; before 12.30 pm





REQUEST FOR QUOTATION

for

Extension of the heavy vehicle parking shed and Ground Improvement for IDCT
Maintenance at Payra 1320 MW TPP

Issued Ref.: BCPCL/Civil/RFQ/2025-26/0411.03

Issued On: 11.11.2025

To

- Bangladesh-China Power Company Limited has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
- Detailed Specifications and Design & Drawings for the intended Works and physical services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
- 3. Quotation is being requested on Unit-Rate/Lump-sum basis.
- 4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
- 5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and execution of the Works (if awarded) respectively. Quotation in a sealed envelope or by fax or through electronic mail or before 12:30 PM on November 18, 2025. The envelope containing the Quotation must be clearly marked "Extension of the heavy vehicle parking shed and Ground Improvement for IDCT Maintenance at Payra 1320 MW TPP at Payra 1320 MW TPP
- 6. "and "DO NOT OPEN before 1:00 P.M. on November 18, 2025. Quotations received later than the time specified herein shall not be accepted.
- 7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
- 8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.
- 9. Quotation shall be submitted as per Bill of Quantities of Works and physical services.
- 10. All Quotations must be valid for a period of the Quotation.



- 11. No public opening of Quotations received by the closing date shall be held.
- 12. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
- 13. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
- 14. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related to valid Trade License, Tax Identification Number (TIN) VAT Registration Number, Bank Solvency without which the Quotation may be considered non-responsive.
- 15. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
- 16. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
- 17. The execution of Works and physical services shall be completed within 60 (Sixty) days from the date of signing of contract.
- 18. Letter inviting the successful Quotationer to sign the Contract shall be issued within 02 (two) days of receipt of approval from the Approving Authority. The Contract shall have to be signed within 02 (two) days of issuing such Letter of Invitation.
- 19. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.

Rezwan Iqbal Khan

Superintending Engineer (Civil)
Bangladesh-China Power Company Limited
Payra 1320 MW TPPP
e-mail: rezwanigbal@bcpcl.org.bd

Distribution:

- 1. Notice Board.
- 2. Office File.





Quotation Submission Letter

Issued Ref.: BCPCL/Civil/RFQ/2025-26/0411.02

Issued On: 11.11.2025

Superintending Engineer (Civil)
Bangladesh-China Power Company (Pvt.) Limited
Payra 1320 MW TPPP
Kalapara, Patuakhali.

20. I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named Extension of the heavy vehicle parking shed and Ground Improvement for IDCT Maintenance at Payra 1320 MW TPP

The total Price of my/our Quotation is BDT In Words:

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 22 (e) of the Conditions of Contract and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on November 11, 2025.

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.



Signature of Quotationer with Seal Date:



Price Schedule

Sl. No.	Description of Work	Unit of Measurement	Quantity	Unit Price Including VAT & TAX	Total Price Including VAT & TAX
1	2	3	4	5	6
	1. Extension of Heavy Vel	hicle Parking S	hed		
1.1	Earthwork in excavation in foundation trenches up to 1.5 m depth and maximum 10 m lead	cum	94.00		
1.2	Earth filling in foundation trenches and plinth in 150 mm layer with earth available within 90 m of the building site to achieve minimum dry density of 95% with optimum moisture content (Modified proctor test) including carrying watering, leveling, dressing and compacting to a specified percentage each layer up to finished level etc. all complete and accepted by Engineer-in-charge	cum	94.00		
1.3	Sand compaction in footing base to achieve minimum dry density of 95% with optimum moisture content (Modified proctor test) by ramming each layer up to finished level as per design supplied by the design office only, all complete and accepted by the Engineer-in-charge.	cum	3.00		
1.4	Lean/ blinding concrete in foundation (1:3:6) with cement, brick chips and sand of F.M. 1.2	cum	1.50		
1.5	RCC WORKS: 1:2:4 (measured on gross concrete section) (f 'c = 22 MPa, minimum f 'cr = 30.5 MPa in nominal mix 1:2:4), with Stone Chips (100% Sand of F.M. 2.2)	cum	7.00		
1.6	Grade 500 (B500DWR: complying BDS ISO 6935-2:2016 / ASTM A615) ribbed or deformed bar produced and marked according to Bangladesh standard, with minimum yield strength, fy (ReH)= 500 MPa and whatever is the yield strength within allowable limit as per BNBC/ ACI 318, the ratio of ultimate tensile strength fu to actual yield strength fy, shall be at least 1.25 and minimum elongation after fracture and minimum total elongation at maximum force is 17% and 8% respectively: up to ground floor. (To be used for pile work, earth retaining wall, boundary wall, water reservoir & other structures as per instruction of concerned design DIVISION)	kg	514.00		
1.7	Centering and shuttering, including strutting, propping etc. and removal of form for: (Wooden Formwork)	sqm	38.00		
1.8	Supply, fabrication and installation of hot-rolled sections (W, H, I-shape etc.) for columns, beams, rafters, bracings etc. (up to level-4) conforming to ASTM A36, with a minimum yield strength of 250 MPa, including the cost of testing of plates, application of red/grey-oxide primer etc. all complete as per drawing, specification and direction of Engineer-in charge.	kg	4310.00		
1.9	Supply and installation of 0.50 mm thick zinc alum color coated profile sheet from local source/China with minimum warranty period of 5 years after installation for roof, wall, caping, flashing, trimming, gutter etc. (up to level-4) conforming to ASTM A792, Grade: 80, AZM150 gm/m2, including the cost of necessary accessories (sheeting with washers, silicon sealant etc.), testing of materials with the cost of necessary accessories.	kg	1404.00		



BCPCL

Bangladesh-China Power Company Ltd.

A Joint Venture of CMC & NWPGCL

Sl. No.	Description of Work	Unit of Measurement	Quantity	Unit Price Including VAT & TAX	Total Price Including VAT & TAX
1	2	3	4	5	6
	complete as per drawing specification and direction of Engineer-in-charge. (Two splice in one side)				
2	Premium synthetic enamel paint of approved best quality and colour delivered from authorized local agent of the manufacturer in a sealed container, having high water resistance, high bondibility, flexibility property; using specified brand thinner applying to metallic or wooden surface by brass/roller/spray in two coats over single coat anticorrosive coating including cleaning, drying, making free from dirt, grease, wax, removing all chalked and scaled materials, all complete in all floors and accepted by the Engineer-incharge.	sqm	207.00		
	2. Ground Improvement (Su	rrounding IDC	T area)		
2.1	Earthwork in excavation in foundation trenches up to 1.5 m depth and maximum 10 m lead	cum	350.00		
2.2	Earth filling in foundation trenches and plinth in 150 mm layer with earth available within 90 m of the building site to achieve minimum dry density of 95% with optimum moisture content (Modified proctor test) including carrying watering, leveling, dressing and compacting to a specified percentage each layer up to finished level etc. all complete and accepted by Engineer-in-charge				

Payra 1320MW TPPP Site, Dhankhali Union, Kalapara, Patuakhali.	
	Payra 1320MW TPPP Site, Dhankhali Union, Kalapara, Patuakhali.

[.....] number corrections made by me/us have been duly initialed in this BoQ.

Signature of the Quotationer with Seal	Date:
Name of the Quotationer	

Note:

1. Col. 1, 2, 3 & 4 to be filled in by the Procuring Entity and Col. 5, 6 & 7 by the Quotationer.

2. Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, insurance etc. Whatsoever up to the point of delivery of Goods and reaching the contract is a warded; including transportation of the Procuring Entity.



Technical Specification

Description of Work	Bidders Offers
2	3
1. Extension of Heavy Vehicle Park	ing Shed
Earthwork in excavation in foundation trenches up to 1.5 m	
depth and maximum 10 m lead	
Earth filling in foundation trenches and plinth in 150 mm	
= 22 MPa, minimum f 'cr = 30.5 MPa in nominal mix 1:2:4),	
with Stone Chips (100% Sand of F.M. 2.2)	
Grade 500 (B500DWR: complying BDS ISO 6935-2:2016 /	
Supply, fabrication and installation of hot-rolled sections (W,	
H, I-shape etc.) for columns, beams, rafters, bracings etc. (up to	
level-4) conforming to ASTM A36, with a minimum yield	
(Two splice in one side)	
	2 1. Extension of Heavy Vehicle Park Earthwork in excavation in foundation trenches up to 1.5 m depth and maximum 10 m lead Earth filling in foundation trenches and plinth in 150 mm layer with earth available within 90 m of the building site to achieve minimum dry density of 95% with optimum moisture content (Modified proctor test) including carrying watering, leveling, dressing and compacting to a specified percentage each layer up to finished level etc. all complete and accepted by Engineer-in-charge Sand compaction in footing base to achieve minimum dry density of 95% with optimum moisture content (Modified proctor test) by ramming each layer up to finished level as per design supplied by the design office only, all complete and accepted by the Engineer-in-charge. Lean/ blinding concrete in foundation (1:3:6) with cement, brick chips and sand of F.M. 1.2 RCC WORKS: 1:2:4 (measured on gross concrete section) (f'c = 22 MPa, minimum f'cr = 30.5 MPa in nominal mix 1:2:4), with Stone Chips (100% Sand of F.M. 2.2) Grade 500 (B500DWR: complying BDS ISO 6935-2:2016 / ASTM A615) ribbed or deformed bar produced and marked according to Bangladesh standard, with minimum yield strength, fy (ReH)= 500 MPa and whatever is the yield strength within allowable limit as per BNBC/ ACI 318, the ratio of ultimate tensile strength fu to actual yield strength fy, shall be at least 1.25 and minimum elongation after fracture and minimum total elongation at maximum force is 17% and 8% respectively: up to ground floor. (To be used for pile work, earth retaining wall, boundary wall, water reservoir & other structures as per instruction of concerned design DIVISION) Centering and shuttering, including strutting, propping etc. and removal of form for: (Wooden Formwork) Supply, fabrication and installation of hot-rolled sections (W, H, I-shape etc.) for columns, beams, rafters, bracings etc. (up to level-4) conforming to ASTM A36, with a minimum warranty period of 5 years after installation for roof, wall, caping, flashing, trimming,



BCPCL

Bangladesh-China Power Company Ltd. A Joint Venture of CMC & NWPGCL

Sl. No.	Description of Work	Bidders Offers		
1	2	3		
2	Premium synthetic enamel paint of approved best quality and colour delivered from authorized local agent of the manufacturer in a sealed container, having high water resistance, high bondibility, flexibility property; using specified brand thinner applying to metallic or wooden surface by brass/roller/spray in two coats over single coat anti-corrosive coating including cleaning, drying, making free from dirt, grease, wax, removing all chalked and scaled materials, all complete in all floors and accepted by the Engineer-in-charge.			
	2. Ground Improvement (Surroundin	g IDCT area)		
2.1	Earthwork in excavation in foundation trenches up to 1.5 m depth and maximum 10 m lead			
2.2	Earth filling in foundation trenches and plinth in 150 mm layer with earth available within 90 m of the building site to achieve minimum dry density of 95% with optimum moisture content (Modified proctor test) including carrying watering, leveling, dressing and compacting to a specified percentage each layer up to finished level etc. all complete and accepted by Engineer-in-charge			





Invitation for signing Contract

Issued Ref.:	Insert Date:
[name of Contractor] [address]	
physical services named Extension of t for IDCT Maintenance at Payra 1320	tion dated [dd/mm/yy] for the execution of the Works and the heavy vehicle parking shed and Ground Improvement MW TPP at Payra 1320 MW TPP in figures and in words] as corrected, has been approved
You are thus requested to attend the office days of issuing this Letter of Invitation; but	of the undersigned to sign the Contract within 02 (two) in no case later than [specify dd/mm/yy].
	Works only upon signing the Contract. You may also please ormation of this Contract which shall become binding upon
We attach the draft Contract and all other do	ocuments for your perusal.
Attachment: Draft Contract	Signature of the Procuring Entity with name and designation Date: dd/mm/yy





Contract Agreement

THIS AGREEMENT made on this [insert day] day of [insert month and year] between [name and address of Procuring Entity] (hereinafter called "the Procuring Entity") of the one part and [name and address of Contractor] (hereinafter called "the Contractor") of the other part:

WHEREAS the Procuring Entity invited Quotation for certain Works and physical services named [Name of Works] and has accepted the Quotation submitted by the Quotationer for the execution of those works in the sum of Taka [insert Contract price in figures and in words] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSED AS FOLLOWS:

- In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the General Conditions of Contract hereinafter referred to.
- 2. The documents forming the Contract shall be interpreted in the following order of priority:
 - (a) the signed Contract Agreement
 - (b) the Letter of Invitation
 - (c) the Conditions of Contract
 - (d) the Specifications
 - (e) the Design and Drawings
 - (f) the priced Bill of Quantities
 - (g) any other document listed anywhere in the Contract.
- In consideration of the payments to be made by the Procuring Entity to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Entity to execute and complete the works and to remedy any defects therein in conformity in all respects with the provisions of the Contract.
- 4. The Procuring Entity hereby covenants to pay the Contractor in consideration of the execution and completion of the works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of Bangladesh on the day, month and year first written above.

For the Purchaser

For the Contractor

Signature

Name Designation In the presence of Name





Conditions of Contract for


Supply of Civil and Plumbing Maintenance Items at Payra 1320 TPP

- 1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
- 2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
- 3. The Supplier shall have to complete the delivery in all respects within 14 days of issuing the Purchase Order in conformity with the Terms and Conditions.
- 4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
- 5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
- 6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
- 7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
- 8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
- 9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Chalan.
- 10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
- 11. The total Contract Price is BDT [insert figure] [in words].
- 12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
- 13. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.
- 14. Any claim arising out of delivery of Goods and responsibility.



- 15. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.
- 16. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
- 17. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
- a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.
- b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
- c. fails to perform any other obligation(s) under the Contract.
- 18. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
- 19. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.










Fig: East/West Elevation




Fig: Footing Cross Section (Section A-A)






Fig: Footing Cross Section B-B

Fig: Footing Top Plan

Fig: Footing Rebar Plan