



BCPCL
Bangladesh-China Power Company Ltd.
A Joint Venture of CMC & NWPGL

**REQUEST FOR QUOTATION
FOR
Procurement of PPE for Unit 1 Class C Maintenance of Payra 1320MW TPP
(PR000606)**

**BANGLADESH-CHINA POWER COMPANY LIMITED
(A Joint Venture of CMC and NWPGL)
UTC Building (Level-05), 8 Panthapath,
Kawran Bazar, Dhaka-1215, Bangladesh**

**Issued Ref.: BCPCL/Proc/RFQ/PPE_C1/2026-27/0922.05
Issued On: September 22,2026**

Submission Deadline: September 28,2026 on or before 12:00PM.





BCPCL
Bangladesh-China Power Company Ltd.
A Joint Venture of CMC & NWPGCL

REQUEST FOR QUOTATION
for
Procurement of PPE for Unit 1 Class C Maintenance of Payra 1320MW TPP
(PR000606)

Issued Ref.: BCPCL/Proc/RFQ/PPE_C1/2026-27/0922.05


Issued On: September 22, 2026

To

1. Bangladesh-China Power Company Limited has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications for the intended goods and related services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation shall be prepared and submitted using the 'RFQ Document'.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
6. Quotation in a sealed envelope or by fax or through electronic mail should be submitted on or before **September 28, 2026, 12:00 PM**. The envelope containing the Quotation must be clearly marked '**Procurement of PPE for Unit 1 Class C Maintenance of Payra 1320MW TPP (PR000606)**' and "**DO NOT OPEN before September 28, 2026, 12:30 PM**". Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.
9. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.
10. No public opening of Quotations received by the closing date shall be held.



11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
12. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related **to updated valid Trade License, Tax Identification Number (TIN) and VAT Registration Number** without which the Quotation may be considered non-responsive.
14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
16. **Quotationer shall specify the brand name of the items, where applicable and provide a clear description of the product being offered; otherwise, the tender will be considered technically non-responsive.**
17. **Quotationers are instructed to submit their price schedule and technical specifications in their company/proprietary letter head pad.**
18. The supply of Goods and related services shall be completed within **20 (twenty) days** from the date of issuing the Purchase Order.
19. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within **7 days** of receipt of approval from the Approving Authority.
20. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.



Rashed Morshed

Superintending Engineer (Procurement)

Bangladesh-China Power Company Limited

UTC Building (Level-05), 8 Panthapath, Kawran Bazar,

Dhaka-1215, Bangladesh.

e-mail: rashedmorshed@bcpcl.org.bd & fahim2252@bcpcl.org.bd

Distribution:

1. Notice Board.
2. Office File.



Quotation Submission Letter

Issued Ref.: BCPCL/Proc/Rfq/PPE_C1/2026-27/0922.05

Issued On: September 22, 2026

Superintending Engineer (Procurement)

Bangladesh-China Power Company Limited

UTC Building (Level-05), 8 Panthapath, Kawran Bazar,
Dhaka-1215, Bangladesh.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named '**Procurement of PPE for Unit 1 Class C Maintenance of Payra 1320MW TPP (PR000606)**'.

The total Price of my/our Quotation is BDT

In Words:

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 17 (b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on **September 22, 2026**.

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.

Signature of Quotationer with Seal
Date:



Price Schedule

Sl. No.	Item Description (offer should consider the technical specification from BCPCL)	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6
1	Safety Rain Boot	pair	44		
2	Safety Harness With Lanyard	Pcs	40		
3	Safety Goggle	pc	50		
4	Short leather glove	pair	1500		
5	Led Torch Light (Small)	pc	25		
6	Fall Arrester Device (15m)	PC	5		
7	Fall Arrester Device (10m)	pc	8		
8	Nylon sheathed safety rope	m	300		
9	Coir rope	m	500		
10	Acid-alkali resistant glove	pair	100		
11	High temperature resistant glove	pair	100		
12	Oil-resistant dipped rubber gloves	pair	100		
13	Wearable headlamp	pc	30		
14	Safety warning tape(Cloth)	Set	10		
15	Safety warning tape	roll	100		



Price Schedule					
Sl. No.	Item Description (offer should consider the technical specification from BCPCL)	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6
16	Disposable face mask	pc	5000		
17	KN95 Dust Mask	pc	2000		
18	Coverall maintenance suit	Set	40		
19	Scaffolding Safety sign Card	pc	200		
20	Scaffolding card Holder	pc	50		
21	Safety net (Fire Resistance)	pc	80		
22	Cotton string gloves	pair	2000		
23	Safety helmet	pc	80		
24	Welder Gloves	pc	25		
Total Price Including VAT & IT					

Total Price Including VAT & IT (in words)	
Goods to be supplied to	Payra 1320MW Thermal Power Plant Site, Dhankhali, Kalapara, Patuakhali.
Delivery Offered	20 (twenty) days from the date of issuing purchase order

[Insert number] number corrections made by me/us have been duly initialed in this BoQ.

Signature of the Quotationer with Seal	Date:
Name of the Quotationer	

Note:

- Col. 1, 2, 3 & 4 to be filled in by the Procuring Entity and Col. 5 & 6 by the Quotationer.
- Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, insurance etc. Whatsoever



SL No	Technical Specification Requirement from BCPCL			Offer From Bidder (Must Mention Brand and detailed specification)
1	Safety Rain Boot		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available EN Composite Toe Cap Light-weight, Puncture-resistant Kevlar Midsole. High-quality Rubber gives superior durability, breathability and is highly flexible. Coated for Rust Resistance. Cushioned and bouncy in-socks help reduce fatigue.	
2	Safety Harness With Lanyard		Renowned Brand Honeywell/Karam/Reliable Safety Preferable Latest GB/EN Standard Data Sheet/Spec Details must be available Material: Polyester Attachment Points: Dorsal, Sternal, Lateral, Ventral Adjustability: Adjustable shoulder and thigh straps Weight: 2.38kg Abrasion-resistant, UV-tested heavy-duty webbing for longer service life Zinc-plated alloy steel hardware with silver passivation for enhanced corrosion resistance and long service life Load Capacity: 140 KG	
3	Safety Goggle		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Lens material: polycarbonate Frame material: Nylon Compatible with prescription glasses: Yes Lens color: Clear 99.9% UV protection. Anti-fog coating. Adjustable in length: Yes Adjustable angle: yes	
4	Short leather glove		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Natural Cow Grain Drivers Gloves Inside Fully Lined	
5	Led Torch Light (Small)		6063 aircraft-grade aluminum alloy body 3.7V 18650, 3000mAh High capacity lithium battery 10W high power LED, and an output of 1000 lumens 1500 meters real range distance It has high, medium, low, flash, and SOS switch modes 6 hours of continuous working under the low function Universal USB Type-C charging port	



SL No	Technical Specification Requirement from BCPCL			Offer From Bidder (Must Mention Brand and detailed specification)
6	Fall Arrester Device (15m)		Renowned Brand Honeywell/Karam/Reliable Safety Preferable Latest GB/EN Standard Data Sheet/Spec Details must be available Casing Type: Plastic casing Rope Type and Dia: Galvanized steel wire rope Ø4.5mm. Static Strength:12kN for 3 minutes Attached Hook:PN162 Wire Rope Length:15m Weight:5.65 kgs	
7	Fall Arrester Device (10m)		Renowned Brand Honeywell/Karam/Reliable Safety Preferable Latest GB/EN Standard Data Sheet/Spec Details must be available Casing Type: Plastic casing Rope Type and Dia: Galvanized steel wire rope Ø4.5mm. Static Strength:12kN for 3 minutes Attached Hook:PN162 Wire Rope Length: 10m Weight 4.28 kgs	
8	Nylon sheathed safety rope		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Material: Nylon Diameter:14 mm Color of Rope: Red and Black strand in the rope to indicate degradation of material. One side loop and one stop knot. Breaking Strength:23 kN Static Strength: Sustains a force of 15 kN for 3 minutes without separating, tearing or rupture.	
9	Coir rope		Material:100% JuteDiameter - 12mmLenth 500m	
10	Acid-alkali resistant glove		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Material: Neoprene Thicknes:0.72 mm Dexterity:5 Length:33cm Product Use: Protection against a wide range of chemical products (detergents, some solvents, acids and bases).	



SL No	Technical Specification Requirement from BCPCL			Offer From Bidder (Must Mention Brand and detailed specification)
11	High temperature resistant glove		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Cotton/polyester blend terry knitted glove Elasticated and knitted wrist, 60mm Line: Heat Range: Thermal Protection Length: 25 cm Dexterity: Class 5	
12	Oil-resistant dipped rubber gloves		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Palm Material: Nitrile. Liner Type: Green Nylon Seamless Liner. Coating Color: Black. Liner Color: White Grip Pattern: Nitrile micro finish coating provides exceptional grip on objects in oily applications. Seam Style: Seamless. Cuff Style: Knit.	
13	Wearable headlamp		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Light Source: 1 × T6 White LED + 1 × XPE Green LED Battery: 2 × 18650 Rechargeable Li-ion Batteries (2000 mAh) Lighting Modes: 3 Modes Zoom Function: Adjustable Zoom Focus Headband: Adjustable Elastic Headband Housing Material: Aluminum Alloy & ABS Color: Black	
14	Safety warning tape (Cloth)		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Type: Handheld Retractable Warning Barrier Tape Housing Material: High Impact ABS Plastic Tape Material: Woven Polyester Fabric Tape Color: Red Print: "Warning Danger" (Custom Printing Available) Tape Width: 50 mm Tape Length: 5 m Retraction Mechanism: Spring Loaded Automatic Retractable Reel Locking System: Built-in Tape Lock Handle: Ergonomic Carry Handle	



SL No	Technical Specification Requirement from BCPCL			Offer From Bidder (Must Mention Brand and detailed specification)
15	Safety warning tape		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Helps prevent injury and accidents by marking construction area, obstacles and hazard This barricade tape with CAUTION legend High strength non-toxic non-flammable UV resistant ink lead free remains flexible in cold weather	
16	Disposable face mask		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Disposable 3ply Surgical face mask for Medical use. First layer PP 22gsm, Second layer Meltblown 25gsm with 90-99% BFE, Third layer PP 22gsm, Automatic heat welded ear loop elastic and with standard nose wire. 3 Ply protection Nose Bar	
17	KN95 Dust Mask		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Prevent non-oil particles and the filtering efficiency exceeds 95%; Honeywell's professional Anti-counterfeiting filter material to guarantee good quality; The built-in nose clip resists bending, is apt to shape and have a better fitness and safety without metal exposure; The nose clip is made of high-strength plastic composite metal, and its bending resistance capacity is enhanced significantly compared with the metal nose clip; The advanced sealing material is used for the nose pad, characterized by high fitness, softness and comfort; it can relieve the pressure on the nose bridge and make you feel more comfortable; The elastic headband can help to relieve the pressure from the head; and it is suitable for long hours of use; The big size offers much breathing space inside, more comfort.	



SL No	Technical Specification Requirement from BCPCL			Offer From Bidder (Must Mention Brand and detailed specification)
18	Coverall maintenance suit		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Fabric: NOMEX® III A, 4.5 oz. Fabric Composition: 93% NOMEX®, 5% KEVLAR®, 2% ANTISTATIC. Fabric Weight: 150 GSM (ISO 11612). Available Colours: Royal Blue, Orange, Navy Blue, Red, Grey. Arc Rating (ATPV): 4.9 cal/cm².	
19	Scaffolding Safety sign Card		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Made from PVC material. Can be written by erasable pen. Use with padlock to remind that the device has been lockout and can not be operated .It can only be opened by the one who lock it. On tag, you can see “danger /Do not operate/ Caution security warning language and also “name /department /date”etc blank for you to fill in. Language both in English and Chinese. Size: 75mm(W)×146mm(H)×0.5mm(T) Other wording and design can be customized.	
20	Scaffolding card Holder		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Made from ABS. Provides system, procedural and legal compliance for scaffolds on work sites. Provides a clear inspection trail giving integrity and control of work carried out. The tags are available in three durable write-on materials, providing highly visual and eye-catching information. Each with a scaffold tag holder and a tag. The tags can be customized. Size: 310mm×92mm, Diameter: 60 mm, 1 tag with 1 holder.	
21	Safety net Fire Resistance		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Net Size: 3 m × 6 m 1st Layer: Mesh Rope Net Rope Diameter: 4 mm Mesh Size: 100 mm × 100 mm Border Rope Diameter: 12 mm 2nd Layer: FR Monofilament Net Material: Flame Retardant (FR) Monofilament Weight: 200 GSM	



SL No	Technical Specification Requirement from BCPCL			Offer From Bidder (Must Mention Brand and detailed specification)
22	Cotton string gloves		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Dotted Pattern Ultra-lightweight design Manufactured with premium quality materials Excellent dexterity (Level 5) for superior comfort and flexibility 100% silicone-free	
23	Safety helmet		Renowned Brand Latest GB/EN Standard Data Sheet/Spec Details must be available Dual corrugation. Made up of polypropylene co-polymer. Slider/nape type adjustment to suit most head sizes. Increased vertical clearance for optimum shock absorption. Extended nape for extra impact protection to the user's neck. Has ventilated slots which can be opened / closed with the help of a shutter to prevent any rainwater seepage. It comes with improved electrical insulation proof voltage test of 5kV and withstands voltage test of 10kV). Ratchet type adjustment.	
24	Welder Gloves		Renowned Brand Latest EN/GB Standard Double Palm for Thermal protection & Durability. Heat resistance up to 350°C for 15 Seconds Para aramid Thread stitching for maximum seam strength Good quality split leather ensures better Abrasion, Dexterity, Tear resistance & Durability in use Inside cotton lining provides thermal insulation and extended comfort Gunn cut, Gauntlet Cuff, Single piece Back. Wing Thumb allows more flexibility Welded seams & self-hemmed long cuff for extended life and safety	



**Purchase Order
FOR
'Procurement of PPE for Unit 1 Class C Maintenance of Payra 1320MW TPP
(PR000606)'**

Purchase Order No. :

Date:

To:

Purchase Order Value: BDT

Taka in words:

Completion date of delivery:

Delivery terms:

- (a) The items shall be supplied as per the instructions and supervision of BCPCL within the above completion date. BCPCL reserves the right to cancel the Purchase Order in case the supplier fails to supply the items within the stipulated date.
- (b) VAT/Taxes, as applicable, shall be deducted at source as per law;
- (c) Payment shall be made after satisfactory completion of supply and certification of Concerned Authority.
- (d) Goods shall be delivered as per approved specification.

Hence, you are requested to supply the below mentioned goods on the terms and conditions as stipulated in the Purchase Order.

Sl. No.	Item Description	Unit of Measurement	Qty	Unit Price in BDT (Including VAT & TAX)	Total Price in BDT (Including VAT & TAX)
Total Amount (BDT)					

Thanking you,

By the approval of authority,

(Rashed Morshed)
Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited
Level#5, UTC Building, 8 Panthapath, Kawran Bazar
Dhaka-1215, Bangladesh



Terms and Conditions
for
‘Procurement of PPE for Unit 1 Class C Maintenance of Payra 1320MW
TPP (PR000606)’

Issued Ref.: BCPCL/Proc/RFQ/PPE_C1/2026-27/0922.05

Issued On: September 22,2026

1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
3. The Supplier shall have to complete the delivery in all respects within **20 days** of issuing the Purchase Order in conformity with the Terms and Conditions. **Liquidated Damage for delaying delivery will be applicable at the rate 0.1% of the contract price per day for a maximum of 10%.**
4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Chalan.
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The total Contract Price is BDT **[insert figure] [in words]**.
12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
13. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.
14. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
15. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.



16. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
17. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
 - a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.
 - b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
 - c. fails to perform any other obligation(s) under the Contract.
18. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
19. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.

