

REQUEST FOR QUOTATION FOR

Procurement of Spare Parts for Coal Handling Plant (Req-149) at Payra 1320 MW Thermal Power Plant

BANGLADESH-CHINA POWER COMPANY LIMITED (A Joint Venture of CMC and NWPGCL)
UTC Building (Level-05), 8 Panthapath,
Kawran Bazar, Dhaka-1215, Bangladesh

Issued Ref.: BCPCL/Procurement/RFQ/2025-26/1015.02

Issued On: October 15, 2025

Submission On: October 22, 2025



A JOINT URE OF

BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGCL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail:info@bcpcl.org.bd

REQUEST FOR QUOTATION

for

Procurement of Spare Parts for Coal Handling Plant (Req-149) at Payra 1320 MW Thermal Power Plant

Issued Ref.: BCPCL/Procurement/RFQ/2025-26/1015.02

Issued On: October 15, 2025

To

- BANGLADESH-CHINA POWER COMPANY LIMITED has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
- 2. Detailed Specifications for the intended goods and related services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
- 3. Quotation shall be prepared and submitted using the 'RFQ Document'.
- 4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
- 5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
- 6. Quotation in a sealed envelope or by fax or through electronic mail on or before October 22, 2025, 12:00 PM. The envelope containing the Quotation must be clearly marked "Procurement of Spare Parts for Coal Handling Plant (Req-149: OEM and Imported Items) at Payra 1320 MW Thermal Power Plant" and "DO NOT OPEN before October 22, 2025, 12:30 PM". Quotations received later than the time specified herein shall not be accepted.
- 7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
- 8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.
- 9. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.

- 10. No public opening of Quotations received by the closing date shall be held.
- 11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
- 12. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
- 13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit the following certified photocopies of latest documents:
 - i) valid Trade License.
 - ii) Tax Identification Number (TIN).
 - iii) VAT Registration Number.

Failure to submit such documents shall cause rejection of Quotation.

- 14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
- 15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
- 16. The supply of Goods and related services shall be completed within **30 Days** from the date of issuing the Purchase Order.
- 17. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within 2 days of receipt of approval from the Approving Authority.
- 18. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.

Rashed Morshed

Superintending Engineer (Procurement)

15/10/25

BANGLADESH-CHINA POWER COMPANY LIMITED

UTC Building (Level-05), 8 Panthapath, Kawran Bazar,

Dhaka-1215, Bangladesh.

e-mail: rashedmorshed@bcpcl.org.bd

Distribution:

- 1. Notice Board.
- 2. Office File.



Quotation Submission Letter

Issued Ref.: BCPCL/Procurement/RFQ/2025-26/1015.02

Issued On: October 15, 2025

Superintending Engineer (Procurement)
BANGLADESH-CHINA POWER COMPANY LIMITED

UTC Building (Level-05), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named Procurement of Spare Parts for Coal Handling Plant (Req-149) at Payra 1320 MW Thermal Power Plant

The total Price of my/our Quotation is BDT In Words:

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 17(b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on October 15, 2025

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.

Signature of Quotationer with Seal Date:



Price Schedule for Goods and Related Services

Sl. No	Item Name	Item Specification	Unit	Qty	Unit Price Including VAT & Tax	Total Price Including VAT & Tax
1	2	3	4	5	6	7=6*5
1	High-pressure hose	EN853-2SN-DN25 Two- braid high tensile steel wire/ Nominal diameter 25mm	Meter	100		
2	Rubber lined check valve	DN100 LY HT200 100mm nominal diameter/ vertical lift type Check valve/ body made of HT 200 Gray cast iron	Nos	10	7	
3	Coupling elastic block	KTR ROTEX38 Outer diameter: 80mm, inner diameter: 38mm, thickness: 18mm, number of petals: 8	Nos	4		
4	Angle iron	Angle 50*50mm (90 degree),thickness 5mm, length-6meter	Nos	40		
5	LED project Lamp	LGT-1000W 5700K Manufacturer: Sunbird Lighting Electrical Appliance Co., LTD	Nos	50		
6	T-shaped hexagonal polyurethane plum blossom elastic block coupling	T-shaped bexagonal bolyurethane clum blossom blastic block The outer diameter of T145 is 145mm, the inner diameter is 70.5mm, and the thickness is 26mm		10		
7	Impact electric wrench	TW1000 (1100W) (Torque 1000N	Nos	2		
8	Adjustable wrench	375mm	Nos	1		
9	Hamer ring spanner	46mm	Nos	1		
10	Foot operated oil injection	Model: FOP 10 Capacity: 6L	Nos	2		
11	Flat Toly	Ordinary four-wheeled blue plastic 200kg	Nos	2		
12	Hand chain hoist (single chain)	HS-T-type 1T*3mm	Nos	3		
13	32mm Electric Grinder	S1J-FF02-25 400W 32mm	Nos	1		
14	bolt cutter (24")	DL 2624/600mm	Nos	1	а и	
15	20tons load skates 18TON	18TON	Nos	1		
16	Socket	46 mm	Nos	2		
17	Socket	36mm	Nos	2		
18	Sling	1 ton, 1m long	Nos	4		
19	Sling	1 ton, 2m long	Nos	4		
20	Sling	2 ton, 1m long	Nos	4		

Sl. No	Item Name	em Name Item Specification		Qty	Unit Price Including VAT & Tax	Total Price Including VAT & Tax	
1	2	3	4	5	6	7=6*5	
21	Sling	2 ton, 2m long	Nos	4			
SATA heavy- duty utility 18*.		18*100MM	Nos	20			
23	Cable	4*2.5 mm ²	Nos	100			
24	lubricating grease	GK18-8-8 (GREASE)	Bucket	5			
Twin artic		Total Price Including Va	t & Tax				

Total Price Including VAT & IT (in words)	
Goods to be supplied to	Payra 1320 MW TPP Site. Dhankhali, Kalapara, Patuakhali
Delivery Offered	30 Days from the date of issuing purchase order

[Insert number] number corrections made by me/us have been duly initialed in this BoQ.

Signature of the Quotationer with Seal	Date:	
Name of the Quotationer		

Note:

- Col. 1, 2, 3 & 4 to be filled in by the Procuring Entity and Col. 5 & 6 by the Quotationer.
 Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, insurance etc. Whatsoever up to the point of delivery of Goods and related services in all respects to the satisfaction of the Procuring Entity.



Technical Specification of the Goods Required

Issued Ref.: BCPCL/Procurement/RFQ/2025-26/1015.02 Issued On: October 15, 2025

Sl. No	Technical Spec	eification and Standards for required goods and related services	Full Technical Specification and Standards offered by the		
	Item Name	Item Specification	Quotationer		
1	EN853-2SN-DN25 High-pressure hose EN853-2SN-DN25 Two- braid high tensile steel wire/ Nominal diameter 25mm		4		
2	Rubber lined check valve	DN100 LY HT200 100mm nominal diameter/ vertical lift type Check valve/ body made of HT 200 Gray cast iron			
3	Coupling elastic block	KTR ROTEX38 Outer diameter: 80mm, inner diameter: 38mm, thickness: 18mm, number of petals: 8			
4	Angle iron	Angle 50*50mm (90 degree),thickness 5mm, length-6meter			
5	LED project Lamp	LGT-1000W 5700K Manufacturer: Sunbird Lighting Electrical Appliance Co., LTD			
6	T-shaped hexagonal polyurethane plum blossom elastic block coupling	The outer diameter of T145 is 145mm, the inner diameter is 70.5mm, and the thickness is 26mm			
7	Impact electric wrench	TW1000 (1100W) (Torque 1000N			
8	Adjustable wrench	375mm			
9	Hamer ring spanner	46mm			
10	Foot operated oil injection	Model: FOP 10 Capacity: 6L			
11	Flat Toly	Ordinary four-wheeled blue plastic 200kg			
12	Hand chain hoist (single chain)	HS-T-type 1T*3mm			
13	32mm Electric Grinder	S1J-FF02-25 400W 32mm			
14	bolt cutter (24")	DL 2624/600mm			
15	20tons load skates 18TON	18TON			
16	Socket	46 mm			
17	Socket	36mm			
18	Sling	1 ton, 1m long			
19	Sling	1 ton, 2m long			
20	Sling	2 ton, 1m long			
21	Sling	2 ton, 2m long			

Sl. No	Technical Spe	cification and Standards for required goods and related services	Full Technical Specification and Standards offered by the		
	Item Name	Item Specification	Quotationer		
1	2	3	4		
22	SATA heavy- duty utility knife	18*100MM			
23	Cable	4*2.5 mm ²			
24	lubricating grease	GK18-8-8 (GREASE)			

NB: i. Please specify the brand name of the items, where applicable, and provide a clear and detailed description of the product being offered.

ii. For clarity and better understanding, reference images have been included in Annexure-I.



Purchase Order FOR

Procurement of Spare Parts for Coal Handling Plant (Req-149) at Payra 1320 MW Thermal Power Plant

To:

Purchase Order Value: BDT

Taka in words:

Completion date of delivery:

Delivery terms:

- (a) The items shall be supplied as per the instructions and supervision of BCPCL within the above completion date. Failure to supply the items within the completion date entitled the procuring entity may terminate the Purchase Order.
- (b) VAT/Taxes, as applicable, shall be deducted at source as per law;
- (c) Payment shall be made after satisfactory completion of supply and certification of Concerned Authority.
- (d) Goods shall be delivered as per approved specification.

Hence, you are requested to supply the below mentioned goods on the terms and conditions as stipulated in the Purchase Order.

Sl. No.	Item Description	Unit of Measurement	Qty	Unit Price in BDT (Including VAT & TAX)	Total Price in BDT (Including VAT & TAX)
				Total Amount (BDT)	

Thanking you,

By the approval of authority,

(Rashed Morshed)

Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited
Level#5, UTC Building, 8 Panthapath, Kawran Bazar
Dhaka-1215, Bangladesh



Terms and Conditions

for

Procurement of Spare Parts for Coal Handling Plant (Req-149) at Payra 1320 **MW Thermal Power Plant**

- 1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
- 2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
- 3. The Supplier shall have to complete the delivery in all respects within 30 Days of issuing the Purchase Order in conformity with the Terms and Conditions.
- 4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
- 5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
- 6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
- 7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
- 8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
- 9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Chalan.
- 10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
- 11. The total Contract Price is BDT [insert figure] [in words].
- 12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
- 13. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.
- 14. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
- 15. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.



- 16. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
- 17. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:

a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.

- b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
- c. fails to perform any other obligation(s) under the Contract.
- 18. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
- 19. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.



S L	Name	Specification	Unit	Qt y	Sample Picture
1	High- pressure hose	EN853-2SN-DN25 Two- braid high tensile steel wire/Nominal diameter 25mm	Meter	10 0	
2	Rubber lined check valve	DN100 LY HT200 100mm nominal diameter/ vertical lift type Check valve/ body made of HT 200 Gray cast iron	Nos	10	
3	Coupling elastic block	KTR ROTEX38 Outer diameter: 80mm, inner diameter: 38mm, thickness: 18mm, number of petals: 8	Nos	4	
4	Angle iron	Angle 50*50mm (90 degree),thickne ss 5mm, length-6meter	Nos	40	
5	LED project Lamp	LGT-1000W 5700K Manufacturer: Sunbird Lighting Electrical Appliance Co., LTD	Nos	50	

S L	Name	Specification	Unit	Qt y	Sample Picture
6	T-shaped hexagonal polyuretha ne plum blossom elastic block coupling	The outer diameter of T145 is 145mm, the inner diameter is 70.5mm, and the thickness is 26mm	Nos	10	TYOT旗舰店 PAGE TO 145 外径145*内径70.5*厚度26 外径145mm
7	Impact electric wrench	TW1000 (1100W) (Torque 1000N	Nos	2	TW1000/中击扳手【1100W】
8	Adjustable wrench	375mm	Nos	1	CHEAVY DUILY 3455
9	Hamer ring spanner	46mm	Nos	1	the principal region of a price between home given a sounder of the between the price of the pri
10	Foot operated oil injection	Model: FOP 10 Capacity: 6L	Nos	2	

S L	Name	Specification	Unit	Qt y	Sample Picture
11	Flat Toly	Ordinary four- wheeled blue plastic 200kg	Nos	2	全静型 天然橡胶轮 83.5cm 82.5cm
12	Hand chain hoist (single chain)	HS-T-type 1T*3mm	Nos	3	
13	32mm Electric Grinder	S1J-FF02-25 400W 32mm	Nos	1	S1J-FF02-25 标配 无调速 输入功率 额定转速 磨头最大直径 磨头桶径 净重 400W 27000r/min 25mm 3-6mm 1.8Kg 出厂配置: *400W功率电机,强劲耐用。 小扳手 大扳手 头壳护套 ** 弹簧夹头 **
14	bolt cutter (24")	DL 2624/600mm	Nos	1	最大开口: 22mm 开口长度: 34mm 最大剪切能力: 中碳钢φ8mm
15	20tons load skates 18TON	18TON	Nos	1	小身板 大承重厂家直销终生维修成都地区送货上门

S L	Name	Specification	Unit	Qt y	Sample Picture
16	Socket	46 mm	Nos	2	TOOLS AGENT
17	Socket	36mm	Nos	2	IULS & S.M.M.
18	Sling	1 ton, 1m long	Nos	4	班 北海
19	Sling	1 ton, 2m long	Nos	4	地 地 地
20	Sling	2 ton, 1m long	Nos	4	新 16 TH
21	Sling	2 ton, 2m long	Nos	4	

S L	Name	Specification	Unit	Qt y	Sample Picture
22	SATA heavy-duty utility knife	18*100MM	Nos	20	S SATAILIX
23	Cable	4*2.5 mm ²	Nos	10 0	RVV电缆线 **
24	lubricating grease	GK18-8-8 (GREASE)	Buck et	5	易震力。 VU XI DE FAN TRABING CO,LTE W:xdef.1
25	lubricating oil	Mobil Dulwich 1330 engine oil grade: SAE30, APICF/SF	Ltr	2	MOBIL DELVAC 1330 美学 多成力1330利力 場際以及 30. APICT/等 原子の表現の 20. APICT/等 原子の表現の 20. APICT/等 原子の表現の (本企) 47.0Hで担心では10.0Hで が成成表現の (本企) 47.0Hで担心では10.0Hで が成成表現の (本企) 47.0Hで担心では10.0Hで が成成表現の (本企) 47.0Hで担心では10.0Hで 10.0Hでは10.0Hで