



BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

REQUEST FOR QUOTATION

for

**Procurement of spare Parts required (PR000340) for Coal Handling Plant of
Payra 1320MW TPP site of BCPCL.**

BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

**UTC Building (Level-05), 8 Panthapath,
Kawran Bazar, Dhaka-1215, Bangladesh**

Issued Ref.: BCPCL/CHPMD/RFQ/2025-26/016

Issued On: July 07, 2026

Submission Deadline: July 19, 2026 12:30 PM





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

REQUEST FOR QUOTATION

for

Procurement of of Spare Parts required (PR000340) for Coal Handling Plant of Payra 1320MW TPP site of BCPCL.

Issued Ref.: BCPCL/CHPMD/RFQ/2025-26/016

Issued On: July 07, 2026

To

1. Bangladesh-China Power Company Limited has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications and Design & Drawings for the intended Works and physical services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation is being requested on Unit-Rate/Lump-sum basis.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
5. Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) shall not be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
6. Quotation in a sealed envelope or by fax or through electronic mail on or before 12:30 PM, July 19, 2026. The envelope containing the Quotation must be clearly marked "REQUEST FOR QUOTATION for Procurement of spare Parts required (PR000340) for Coal Handling Plant of Payra 1320MW TPP site of BCPCL." and "DO NOT OPEN before 1:00 P.M. on : July 19, 2026 ". Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through password protected electronic mail or hard copy shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of Ten (10) days.
9. Quotation shall be submitted as per Price Schedule of Goods and Services.
10. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.
11. No public opening of Quotations received by the closing date shall be held.
12. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
13. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
14. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of the following documents:
 - i. Valid Trade License,
 - ii. Tax Identification certificate
 - iii. VAT Registration certificate
 - iv. Bank Solvency Certificate
 - v. Experience Certificate






BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

15. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
16. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
17. The supply of Goods and related services shall be completed within 21 days from the signing of the contract.
18. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.


07/07/2026

Md. Nazmul Hasan
Executive Engineer (Coal Handling Plant)
Bangladesh-China Power Company Limited
Payra Thermal Power Plant, Kalapara, Patuakhali.
e-mail: nazmul@bcpcl.org.bd

Distribution:

1. BCPCL website.
2. Office File.





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

Quotation Submission Letter

Issued Ref.: BCPCL/CHPMD/RFQ/2025-26/016

Issued On: July 07, 2026

To

Executive Engineer (Coal Handling Plant)
Bangladesh-China Power Company Limited
Kalapara, Patuakhali.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named **Procurement of spare Parts required (PR000340) for Coal Handling Plant of Payra 1320MW TPP site of BCPCL**. The total Price of my/our Quotation is BDT

In Words:

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 19(b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on July 07, 2026.

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.

Signature of Quotationer with Seal

Date:





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

Price Schedule of Goods & Related Services

Issued Ref.: BCPCL/CHPMD/RFQ/2025-26/016

Issued On: July 07, 2026

Sl. No	Item Name	Specification	Unit	Quantity	Unit Price including VAT & IT (BDT)	Total Price including VAT & IT (BDT)
1	2	3	4	5	6	7
1	Ball valve 2002200012	DN10 stainless steel SS304 As per sample	set	06		
2	Double external thread connector 2002200013	DN10 stainless steel SS304 As per sample	pcs	06		
3	Double internal thread connector 2002200014	DN10 stainless steel SS304 As per sample	pcs	06		
4	Bearings 2002190018	FYTB506 SKF mounted bearings	set	08		
5	Oil seal 2003110012	TC100*125*12	pcs	20		
06	High pressure rubber hose 2002500009	EN853-2SN-DN25 (Joint diameter DN25, each length 1.65m) with connector, the connectors must be stainless steel element. As per sample	Set	80		
07	Gate valve 2005500002	DN100 Cast iron flanged As per sample	Set	10		
08	Bolt + Nut + Gasket (Carbon Steel) 2002500010	M10×30 ; Standard: GB/T5783-200 Grade: 8.8	Set	200		
09	Bolt + Nut + Gasket (Carbon Steel) 2002500011	M10×120 ; Standard: GB/T5783-2000 Grade: 8.8	Set	200		
10	Bolt + Nut + Gasket (Carbon Steel) 2002500012	M12×30 ; Standard: GB/T5783-2001 Grade: 8.8	Set	200		
11	Bolt + Nut + Gasket (Carbon Steel) 2002500013	M12×120 ; Standard: GB/T5783-2002 Grade: 8.8	Set	200		
12	Pointed Six- edged Crowbar 2007010147	25 * 1.5 m	Pcs	2		
13	steel plate 2002140007	MS 2M × 2M × 8mm (thickness)	Pcs	6		





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

Sl. No	Item Name	Specification	Unit	Quantity	Unit Price including VAT & IT (BDT)	Total Price including VAT & IT (BDT)
14	Bearing with rhombic seat 2002190007	UCFL208	Pcs	4		
15	Bearing with rhombic seat 2002190006	UCFL207	Pcs	4		
16	Bearing with rhombic seat 2002190005	UCFL206	Pcs	4		
17	Bearing 2007050046	6307Z	Pcs	3		
18	Bearing 2007050047	6013LU	Pcs	3		
19	Micro high-speed bearing 2007050052	629Z SKF	Pcs	10		
20	Micro high-speed bearing 2007050053	627Z SKF	Pcs	10		
21	Grass hook 2007010151		Pcs	6		
22	Mechanical pressure switch 2003260002	TYPE : MS-T50-400XG14HR Range : 30...300bar Pmax : 300bar Set Pressure: 15 MPA. Contact Configuration: 1 = COM, 2 = NC, 3 = NO MAX:125V AC/2A 250VAC/1A Country origin: Europe /USA/Japan	Set	06		
23	framework oil seal 2002030010	200*230*15 TC type fluororubber (Viton/FKM) oil seal	PCS	10		
24	C-type external retaining ring for bearings 2002030011	Internal Circlip (Shaft Retaining Ring), Material: 65Mn Spring Steel, Nominal Diameter: Φ 170 mm, ID: 160 mm, OD: 181 mm, Thickness: 3 mm.	PCS	10		
25	Bearing 2001400042	6212-Z 60X110X22 Brand: SKF, India	PCS	10		
26	Bearing 2001400058	6212-2Z 60X110X22 Brand: SKF, India	PCS	12		
27	Bearing 2001400052	22222 E/C3 Brand: SKF, India	PCS	3		
28	Bearing 2001400059	32006 X/Q Brand: SKF, India	PCS	20		
29	Bearing 2001400060	6201 2RSH/C3 Brand: SKF, India	PCS	20		





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

Sl. No	Item Name	Specification	Unit	Quantity	Unit Price including VAT & IT (BDT)	Total Price including VAT & IT (BDT)
30	Tapered roller bearing 2007050054	32313BJ2/QU2CL7CVQ267 SKF	PCS	04		
31	Deep groove ball bearing 2007050055	SKF 6206-2Z/C3	PCS	10		
32	Grease gun hose (with high-pressure explosion-proof flat grease nozzle) 2007030011	PT1/8(straight type) Working Pressure= 10000 PSI As per sample	PCS	40		
Total Price including VAT and IT						

Goods to be supplied to

Signature of the Quotationer with Seal

Date:

Name of the Quotationer

Note:

- Col. 1, 2, 3, 4 & 5 to be filled in by the Procuring Entity and Col. 6 & 7 by the Quotationer.
- Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, load & unloading cost at delivery site, insurance etc. Whatsoever

Technical Specification for Procurement of spare Parts required (PR000340) for Coal Handling Plant of Payra 1320MW TPP site of BCPCL.

Sl. No	Item Name	Specification	Unit	Quantity	Tenderer offer (Specification)
1	2	3	4	5	6
01	Ball valve 2002200012	DN10 stainless steel SS304 As per sample	set	06	
02	Double external thread connector 2002200013	DN10 stainless steel SS304 As per sample	pcs	06	
03	Double internal thread connector 2002200014	DN10 stainless steel SS304 As per sample	pcs	06	
04	Bearings 2002190018	FYTB506 SKF mounted bearings	set	08	
05	Oil seal 2003110012	TC100*125*12	pcs	20	
06	High pressure rubber hose 2002500009	EN853-2SN-DN25 (Joint diameter DN25, each length 1.65m) with connector, the connectors must be stainless steel element.	Set	80	

6





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

Sl. No	Item Name	Specification	Unit	Quantity	Tenderer offer (Specification)
		As per sample			
07	Gate valve 2005500002	DN100 Cast iron flanged As per sample	Set	10	
08	Bolt + Nut + Gasket (Carbon Steel) 2002500010	M10×30 ; Standard: GB/T5783-200 Grade: 8.8	Set	200	
09	Bolt + Nut + Gasket (Carbon Steel) 2002500011	M10×120 ; Standard: GB/T5783-2000 Grade: 8.8 As per sample	Set	200	
10	Bolt + Nut + Gasket (Carbon Steel) 2002500012	M12×30 ; Standard: GB/T5783-2001 Grade: 8.8 As per sample	Set	200	
11	Bolt + Nut + Gasket (Carbon Steel) 2002500013	M12×120 ; Standard: GB/T5783-2002 Grade: 8.8 As per sample	Set	200	
12	Pointed Six- edged Crowbar 2007010147	25 * 1.5 m	Pcs	2	
13	steel plate 2002140007	MS 2M × 2M × 8mm (thickness)	Pcs	6	
14	Bearing with rhombic seat 2002190007	UCFL208	Pcs	4	
15	Bearing with rhombic seat 2002190006	UCFL207	Pcs	4	
16	Bearing with rhombic seat 2002190005	UCFL206	Pcs	4	
17	Bearing 2007050046	6307Z	Pcs	3	
18	Bearing 2007050047	6013LU	Pcs	3	
19	Micro high- speed bearing 2007050052	629Z SKF	Pcs	10	
20	Micro high- speed bearing 2007050053	627Z SKF	Pcs	10	
21	Grass hook 2007010151		Pcs	6	
22	Mechanical pressure switch 2003260002	TYPE : MS-T50-400XG14HR Range : 30...300bar Pmax ; 300bar Set Pressure: 15 MPA. Contact Configuration: 1 = COM, 2 = NC, 3 = NO MAX:125V AC/2A 250VAC/1A Country origin: Europe /USA/Japan	Set	6	
23	framework oil seal	200*230*15 TC type fluororubber (Viton/FKM) oil seal	PCS	10	

7





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

Sl. No	Item Name	Specification	Unit	Quantity	Tenderer offer (Specification)
	2002030010				
24	C-type external retaining ring for bearings 2002030011	Internal Circlip (Shaft Retaining Ring), Material: 65Mn Spring Steel, Nominal Diameter: Φ 170 mm, ID: 160 mm, OD: 181 mm, Thickness: 3 mm.	PCS	10	
25	Bearing 2001400042	6212-Z 60X110X22 Brand: SKF, India	PCS	10	
26	Bearing 2001400058	6212-2Z 60X110X22 Brand: SKF, India	PCS	12	
27	Bearing 2001400052	22222 E/C3 Brand: SKF, India	PCS	3	
28	Bearing 2001400059	32006 X/Q Brand: SKF, India	PCS	20	
29	Bearing 2001400060	6201 2RSH/C3 Brand: SKF, India	PCS	20	
30	Tapered roller bearing 2007050054	32313BJ2/QU2CL7CVQ267 SKF	PCS	04	
31	Deep groove ball bearing 2007050055	SKF 6206-2Z/C3	PCS	10	
32	Grease gun hose (with high-pressure explosion-proof flat grease nozzle) 2007030011	PT1/8(straight type) Working Pressure= 10000 PSI As per sample	PCS	40	





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

Purchase Order for

Procurement of spare Parts required (PR000340) for Coal Handling Plant of Payra 1320MW TPP site of BCPCL.

Purchase Order No.:

Date:

To:

Purchase Order Value: BDT

Taka in words:

Completion date of delivery:

Delivery terms:

- The items shall be supplied as per the instructions and supervision of BCPCL within the above completion date. BCPCL reserves the right to cancel the Purchase Order in case the supplier fails to supply the items within the stipulated date.
- VAT/Taxes, as applicable, shall be deducted at source as per law;
- Payment shall be made after satisfactory completion of supply and certification of Concerned Authority.
- Goods shall be delivered as per approved specification.

Hence, you are requested to supply the below mentioned goods on the terms and conditions as stipulated in the Purchase Order.

Sl. No.	Item Name	Specification	Unit	Qty	Unit Price in BDT (Including VAT & TAX)	Total Price in BDT (Including VAT & TAX)
01	Ball valve 2002200012	DN10 stainless steel SS304 As per sample	set	06		
02	Double external thread connector 2002200013	DN10 stainless steel SS304 As per sample	pcs	06		
03	Double internal thread connector 2002200014	DN10 stainless steel SS304 As per sample	pcs	06		
04	Bearings 2002190018	FYTB506 SKF mounted bearings	set	08		
05	Oil seal 2003110012	TC100*125*12	pcs	20		
06	High pressure rubber hose 2002500009	EN853-2SN-DN25 (Joint diameter DN25, each length 1.65m) with connector, the connectors must be stainless steel element. As per sample	Set	80		
07	Gate valve 2005500002	DN100 Cast iron flanged As per sample	Set	10		
08	Bolt + Nut + Gasket (Carbon Steel) 2002500010	M10×30 ; Standard: GB/T5783-200 Grade: 8.8	Set	200		

9





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh

Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

Sl. No.	Item Name	Specification	Unit	Qty	Unit Price in BDT (Including VAT & TAX)	Total Price in BDT (Including VAT & TAX)
09	Bolt + Nut + Gasket (Carbon Steel) 2002500011	M10×120 ; Standard: GB/T5783-2000 Grade: 8.8 As per sample	Set	200		
10	Bolt + Nut + Gasket (Carbon Steel) 2002500012	M12×30 ; Standard: GB/T5783-2001 Grade: 8.8 As per sample	Set	200		
11	Bolt + Nut + Gasket (Carbon Steel) 2002500013	M12×120 ; Standard: GB/T5783-2002 Grade: 8.8 As per sample	Set	200		
12	Pointed Six-edged Crowbar 2007010147	25 * 1.5 m	Pcs	2		
13	steel plate 2002140007	MS 2M × 2M × 8mm (thickness)	Pcs	6		
14	Bearing with rhombic seat 2002190007	UCFL208	Pcs	4		
15	Bearing with rhombic seat 2002190006	UCFL207	Pcs	4		
16	Bearing with rhombic seat 2002190005	UCFL206	Pcs	4		
17	Bearing 2007050046	6307Z	Pcs	3		
18	Bearing 2007050047	6013LU	Pcs	3		
19	Micro high-speed bearing 2007050052	629Z SKF	Pcs	10		
20	Micro high-speed bearing 2007050053	627Z SKF	Pcs	10		
21	Grass hook 2007010151		Pcs	6		
22	Mechanical pressure switch 2003260002	TYPE : MS-T50-400XG14HR Range : 30...300bar Pmax : 300bar Set Pressure: 15 MPA. Contact Configuration: 1 = COM, 2 = NC, 3 = NO MAX:125V AC/2A 250VAC/1A Country origin: Europe /USA/Japan	Set	6		
23	framework oil seal 2002030010	200*230*15 TC type fluororubber (Viton/FKM) oil seal	PCS	10		
24	C-type external retaining ring for bearings 2002030011	Internal Circlip (Shaft Retaining Ring), Material: 65Mn Spring Steel, Nominal Diameter: Φ170 mm, ID: 160 mm, OD: 181 mm, Thickness: 3 mm.	PCS	10		
25	Bearing 2001400042	6212-Z 60X110X22 Brand: SKF, India	PCS	10		





BANGLADESH-CHINA POWER COMPANY LIMITED


(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

Sl. No.	Item Name	Specification	Unit	Qty	Unit Price in BDT (Including VAT & TAX)	Total Price in BDT (Including VAT & TAX)
26	Bearing 2001400058	6212-2Z 60X110X22 Brand: SKF, India	PCS	12		
27	Bearing 2001400052	22222 E/C3 Brand: SKF, India	PCS	3		
28	Bearing 2001400059	32006 X/Q Brand: SKF, India	PCS	20		
29	Bearing 2001400060	6201 2RSH/C3 Brand: SKF, India	PCS	20		
30	Tapered roller bearing 2007050054	32313BJ2/QU2CL7CVQ267 SKF	PCS	04		
31	Deep groove ball bearing 2007050055	SKF 6206-2Z/C3	PCS	10		
32	Grease gun hose (with high-pressure explosion-proof flat grease nozzle) 2007030011	PT1/8(straight type) Working Pressure= 10000 PSI As per sample	PCS	40		
Total Amount (BDT)						

Thanking you,

By the approval of authority,


07/07/2026

Md. Nazmul Hasan
Executive Engineer (Coal Handling Plant)
Bangladesh-China Power Company Limited
Payra 1320 MW TPPP, Kalapara, Patuakhali.
e-mail: nazmul@bcpcl.org.bd





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

Terms and Conditions

for

Procurement of spare Parts required (PR000340) for Coal Handling Plant of Payra 1320MW TPP site of BCPCL

Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.

1. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
2. *The supply of Goods and related services shall be delivered within 21 days from the date of issuing purchase order in conformity with the Terms and Conditions.*
3. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
4. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
5. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
6. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
7. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
9. **Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% payment shall be paid after successful delivery of the scheduled items or all repaired items and acceptance of the Delivery Challan.**
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The total Contract Price is **BDT. []**
12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
13. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.
14. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
15. Damage to the Goods during the Warranty Period shall be remedied by the Supplier at the Supplier's own cost, if the damage arises from the supply and installation by the Supplier.
16. No works under Extra Work Orders shall be permissible and, works under Variation Orders (except in case of Lump-sum basis) shall under no circumstances exceed fifty (50) percent of the Contract Price subject to threshold

12





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
 Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

specified in the Procurement Procedures and Delegation of Financial Power-2019 of Bangladesh China Power Company Limited.

17. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
18. Tenderer shall make reasonable provisions for the occupational safety and health of himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the physical services.
19. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
 - a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.
 - b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
 - c. fails to perform any other obligation(s) under the Contract.
20. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
21. Tenderer shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.
22. Experienced tenderer of supplying the listed items shall be preferred.
23. The supplier should visit and inspect the sample to ensure that the product conforms to its specifications.

Annexure-01

SL	Name	Specification	Sample Picture
1	2	3	4
01	Ball valve 2002200012	DN10 stainless steel SS304 As per sample	
02	Double external thread connector 2002200013	DN10 stainless steel SS304 As per sample	









BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
 Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

SL	Name	Specification	Sample Picture
1	2	3	4
03	Double internal thread connector 2002200014	DN10 stainless steel SS304 As per sample	
04	Bearings 2002190018	FYTB506 SKF mounted bearings	
05	Oil seal 2003110012	TC100*125*12	
06	High pressure rubber hose 2002500009	EN853-2SN-DN25 (Joint diameter DN25, each length 1.65m) with connector, the connectors must be stainless steel element. As per sample	





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
 Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

SL	Name	Specification	Sample Picture
1	2	3	4
07	Gate valve 2005500002	DN100 Cast iron flanged As per sample	
08	Bolt + Nut + Gasket (Carbon Steel) 2002500010	M10×30 ; Standard: GB/T5783-200 Grade: 8.8	
09	Bolt + Nut + Gasket (Carbon Steel) 2002500011	M10×120 ; Standard: GB/T5783-2000 Grade: 8.8 As per sample	
10	Bolt + Nut + Gasket (Carbon Steel) 2002500012	M12×30 ; Standard: GB/T5783-2001 Grade: 8.8 As per sample	
11	Bolt + Nut + Gasket (Carbon Steel) 2002500013	M12×120 ; Standard: GB/T5783-2002 Grade: 8.8 As per sample	
12	Pointed Six-edged Crowbar 2007010147	25 * 1.5 m	
13	steel plate 2002140007	MS 2M × 2M × 8mm (thickness)	









BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh

Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

SL	Name	Specification	Sample Picture
1	2	3	4
14	Bearing with rhombic seat 2002190007	UCFL208	
15	Bearing with rhombic seat 2002190006	UCFL207	
16	Bearing with rhombic seat 2002190005	UCFL206	
17	Bearing 2007050046	6307Z	
18	Bearing 2007050047	6013LU	
19	Micro high-speed bearing 2007050052	629Z SKF	
20	Micro high-speed bearing 2007050053	627Z SKF	
21	Grass hook 2007010151		
22	Mechanical pressure switch 2003260002	<p>TYPE : MS-T50-400XG14HR Range : 30...300bar Pmax : 300bar Set Pressure: 15 MPA. Contact Configuration: 1 = COM, 2 = NC, 3 = NO MAX:125V AC/2A 250VAC/1A Country origin: Europe /USA/Japan</p>	
23	framework oil seal 2002030010	200*230*15 TC type fluororubber (Viton/FKM) oil seal	





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
 Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

SL	Name	Specification	Sample Picture
1	2	3	4
24	C-type external retaining ring for bearings 2002030011	Internal Circlip (Shaft Retaining Ring), Material: 65Mn Spring Steel, Nominal Diameter: $\Phi 170$ mm, ID: 160 mm, OD: 181 mm, Thickness: 3 mm.	
25	Bearing 2001400042	6212-Z 60X110X22 Brand: SKF, India	
26	Bearing 2001400058	6212-2Z 60X110X22 Brand: SKF, India	
27	Bearing 2001400052	22222 E/C3 Brand: SKF, India	
28	Bearing 2001400059	32006 X/Q Brand: SKF, India	
29	Bearing 2001400060	6201 2RSH/C3 Brand: SKF, India	
30	Tapered roller bearing 2007050054	32313BJ2/QU2CL7CVQ267 SKF	
31	Deep groove ball bearing 2007050055	SKF 6206-2Z/C3	
32	Grease gun hose (with high-pressure explosion-proof flat grease nozzle) 2007030011	PT1/8(straight type) Working Pressure= 10000 PSI As per sample	

